

# Bibliography

- AA (Anglo-American). 2009a. Anglo-American Pebble Mine investor advisory: reputational risk, regulatory challenges and legal uncertainties. Earthworks. Available: [http://earthworksaction.org/pubs/PebbleInvestorRiskReport\\_FINAL.pdf](http://earthworksaction.org/pubs/PebbleInvestorRiskReport_FINAL.pdf). (August 2010).
- AA. 2009b. Consolidated income statement. Anglo American. Available: [http://ar09.angloamerican.solutions.investis.com/financial\\_statements/principal/index.html](http://ar09.angloamerican.solutions.investis.com/financial_statements/principal/index.html). (August 2010).
- AAC (ALASKA ADMIN. CODE) tit. 11, § 80.130(a)(3) (2006). Hearing procedures.
- AAC tit. 11, § 97 (2006). Mining reclamation.
- AAC tit. 11, § 110 (2006). Alaska coastal management program implementation.
- AAC tit. 11, § 112.300(b)(3) (2006). Statewide standards of the Alaska coastal management program. Resources and Habitats. Habitats.
- Abel, H. 1997. The rise and fall of a gold mining company. High Country News (December 22). Available: <http://www.hcn.org/issues/121/3860>. (September 2010).
- ACFEC (Alaska Commercial Fish Entry Commission). 2010. Permit statistics for Alaska's limited entry salmon fisheries 1999–2008. ACFEC. Available: [http://www.cfec.state.ak.us/research/salmon/salpmt99\\_08.pdf](http://www.cfec.state.ak.us/research/salmon/salpmt99_08.pdf). (August 2010).
- ACFEC. 2011. Basic Information Table (BIT) of S 03T (fishery code): Salmon, drift gillnet, Bristol Bay. ACFEC, November 20, 2011. Available: [http://www.cfec.state.ak.us/bit/X\\_S03T.HTM](http://www.cfec.state.ak.us/bit/X_S03T.HTM). (December 2011).
- ADC (Alaska Department of Commerce). 2010. Alaska community database community information summaries (CIS): King Salmon. Division of Community and Regional Affairs, ADC. Available: [http://www.commerce.state.ak.us/dca/commdb/CIS.cfm?comm\\_boro\\_name=King Salmon](http://www.commerce.state.ak.us/dca/commdb/CIS.cfm?comm_boro_name=King%20Salmon). (August 2010).
- ADEC (Alaska Department of Environmental Conservation). 2003. Alaska water quality criteria manual for toxic and other deleterious organic and inorganic substances. Amended as of May 15, 2003. ADEC, Juneau, AK.
- ADEC. 2006. Alaska water quality standards. Amended as of December 28, 2006. ADEC, Juneau, AK.
- ADFG (Alaska Department of Fish and Game). 1996. The harvest and use of freshwater fish in Togiak and Manokotak, 1994–5. Division of Commercial Fisheries, ADFG and Bristol Bay Native Association, Dillingham, AK.
- ADFG. 2008a. 2008 Bristol Bay salmon season summary, news release. ADFG. Available: <http://www.cf.adfg.state.ak.us/region2/finfish/salmon/bbay/brbpos08.pdf>. (September 2010).
- ADFG. 2008b. Alaska freshwater fish inventory. Division of Sport Fish, ADFG. Available: <http://www.sf.adfg.state.ak.us/SARR/Surveys/index.cfm>. (August 2010).
- ADFG. 2008c. Catalog of waters important for the spawning, rearing, and migration of anadromous fish. Division of Sport Fish, ADFG, Juneau, AK.
- ADFG. 2008d. Letter to Randy Bates, Director, Division of Coastal and Ocean Management, Alaska Department of Natural Resources. 15 August 2008. Division of Habitat, ADFG. Available: [http://alaskacoast.state.ak.us/Enews/Re-val2008/OfficialSubmittedComments/ADFG\\_comments\\_ACMP\\_re-evaluation\\_corrected.pdf](http://alaskacoast.state.ak.us/Enews/Re-val2008/OfficialSubmittedComments/ADFG_comments_ACMP_re-evaluation_corrected.pdf). (July 2011).
- ADFG. 2008e. Sport fish survey. Division of Sport Fish, ADFG. Available: <http://www.sf.adfg.state.ak.us/Statewide/FishingSurvey/index.cfm?FA=region.home>. (Mar. 2008).
- ADFG. 2010a. Bristol Bay historical salmon information. Division of Commercial Fisheries, ADFG. Available: <http://www.cf.adfg.state.ak.us/region2/finfish/salmon/bbay/bbayhist.php>. (August 2010).
- ADFG. 2010b. Bristol Bay salmon season summary. Division of Commercial Fisheries, ADFG, Dillingham, AK.
- ADFG. 2011a. 2010 Bristol Bay area annual management Report. Division of Sport Fish and Commercial Fisheries, ADFG. Available: <http://www.sf.adfg.state.ak.us/FedAidpdfs/FMR11-23.pdf>. (November 2011).
- ADFG. 2011b. Anadromous waters catalog: overview. ADFG. Available: <http://www.adfg.alaska.gov/sf/SARR/AWC/>. (June 2011).
- ADLWD (Alaska Department of Labor and Workplace Development). 2010. April 2010 Unemployment rate, Bristol Bay borough vs. Alaska statewide. Available: <http://laborstats.alaska.gov/?PAGEID=67&SUBID=188>. (April 2010).
- ADNR (Alaska Department of Natural Resources). 1984. Bristol Bay area plan for state lands. ADNR, Alaska Department of Fish and Game, Alaska Department of Environmental Conservation Available: [http://dnr.alaska.gov/mlw/planning/areaplans/bristol/pdf/bristol\\_bay\\_area\\_plan.pdf](http://dnr.alaska.gov/mlw/planning/areaplans/bristol/pdf/bristol_bay_area_plan.pdf). (August 2010).

- ADNR. 2004. Mining laws and regulations, as contained in the Alaska statutes and Alaska administrative code. Division of Mining, Land, and Water, ADNR, Anchorage, AK. Available: [http://dnr.alaska.gov/mlw/mining/2004Reg\\_book.pdf](http://dnr.alaska.gov/mlw/mining/2004Reg_book.pdf). (August 2010).
- ADNR. 2005. Bristol Bay area plan for state lands. Division of Mining, Land, and Water, ADNR. Available: [http://dnr.alaska.gov/mlw/planning/areaplans/bristol/pdf/bbap\\_complete.pdf](http://dnr.alaska.gov/mlw/planning/areaplans/bristol/pdf/bbap_complete.pdf). (August 2010).
- ADNR. 2006. Status of application packet: pebble project/application for water rights. Alaska Coastal Management Program, Office of Project Management and Permitting, ADNR. Available: <http://dnr.alaska.gov/mlw/mining/largemine/pebble/2006/acmp.pdf>. (October 2010).
- ADNR. 2008a. Pebble project. Division of Mining, Land, and Water, ADNR. Available: <http://dnr.alaska.gov/mlw/mining/largemine/pebble/waterapp.htm>. (October 2010).
- ADNR. 2008b. The process and requirements for large mine permit applications in Alaska. ADNR. Available: <http://dnr.alaska.gov/mlw/mining/largemine/may5pptcolor6.pdf>. (September 2010).
- ADNR. 2008c. The process and requirements for large mine permit applications in Alaska. ADNR. Available: <http://dnr.alaska.gov/mlw/mining/largemine/may5pptcolor6.pdf>. (September 2010).
- ADNR. 2010a. Alaska DNR state mining claims. Alaska State Geospatial Data Clearinghouse, ADNR. Available: <http://dnr.alaska.gov/SpatialUtility/SUC?cmd=vmd&layerid=137>. (December 2010).
- ADNR. 2010b. Permitting large mine projects in Alaska. Office of Project Management and Permitting, ADNR. Available: <http://dnr.alaska.gov/mlw/mining/largemine/lmptprocess2010.pdf>. (July 2011).
- ADNR. 2011. Alaska coastal management program (ACMP). Division of Coastal and Ocean Management, ADNR. Available: [http://alaskacoast.state.ak.us/Current\\_News/ACMP\\_Fact\\_Sheet\\_2011.pdf](http://alaskacoast.state.ak.us/Current_News/ACMP_Fact_Sheet_2011.pdf). (June 2011).
- ADNR. 2011b. Division of Coastal & Ocean Management. Available: <http://dnr.alaska.gov/coastal/index.html>. (November 2011).
- ADR (Alaska Department of Revenue). 2009. Alaska tax division 2009 annual report. Division of Taxes, ADR. Available: <http://www.tax.alaska.gov/programs/documentviewer/viewer.aspx?1896f>. (August 2010).
- ADR. 2010a. Tax division: fisheries related taxes. Division of Taxes, ADR. Available: <http://www.tax.alaska.gov/programs/programs/forms/index.aspx?60620>. (December 2011).
- ADR. 2010b. Tax division: mining license tax. Division of Taxes, ADR. Available: <http://www.tax.alaska.gov/programs/programs/statutes/index.aspx?60610>. (August 2010).
- Alabaster, J., and R. Lloyd. 1982. Finely divided soils. Pages 1–20 in J. Alabaster and R. Lloyd, editors. Water quality criteria for freshwater fish. 2nd. Butterworth-Heinemann, London.
- Alabaster, J., D. Shurben, and M. Mallett. 1983. The acute lethal toxicity of mixtures of cyanide and ammonia to smolts of salmon, *Salmo salar* L. at low concentrations of dissolved oxygen. *Journal of Fish Biology* 22(2):215–222.
- Alaska, 2000-2003. Biological Resources Discipline, Alaska Science Center, U.S. Geological Survey, Final Report for Study 01-095, Anchorage, AK.
- Alaska Coalition. 2007. Bristol Bay. Alaska Coalition. Available: <http://www.alaskacoalition.org/campaigns/the-oceans>. (July 2007).
- Alaska Native Claims Settlement Act of 1971 §§ 2-39, 43 U.S.C. §§ 1601-1642 (2006).
- Alaska State Legislature. 2010. Audit of Department of Natural Resources Alaska Coastal Management Program: part 1. Division of Legislative Audit, Legislative Budget and Audit Committee, Alaska State Legislature, Audit Control Number 10-30060A-11. Juneau, AK.
- ALASKA STAT. § 16.05.020 (2006). Department of Fish and Game. Functions of the Commissioner.
- ALASKA STAT. § 16.05.841 (2006). Fishways and Hatcheries. Fishway Required.
- ALASKA STAT. § 16.05.851 (2006). Fishways and Hatcheries. Hatchery Required.
- ALASKA STAT. § 16.05.871(c,d) (2006). Protection of Waterways for Anadromous Fish. Protection of Fish and Game.
- ALASKA STAT. § 27.05.010(b) (2006). Department Responsible for Mineral Resources.
- ALASKA STAT. § 27.19.30 (2006). Reclamation. Reclamation Plan.
- ALASKA STAT. § 38.04.005(a) (2006). Public and Private Land Use.
- ALASKA STAT. § 38.04.065(a) (2006). Land Use Planning and Classification
- ALASKA STAT. § 38.05.035(e)(6) (2006). Alaska Land Act. Powers and Duties of the Director.

- ALASKA STAT. § 38.05.300 (2006). Alaska Land Act. Classification of Land.
- ALASKA STAT. § 38.05.850(a) (2006). Alaska Land Act. Permits.
- ALASKA STAT. § 44.62.370 (2006). Administrative Procedure Act. Statement of Issues.
- ALASKA STAT. § 44.66.020(a) (2006). Agency Programs.
- ALASKA STAT. § 46.15.145 (1986). Water Use Act. Reservation of Water.
- ALASKA STAT. § 46.15.145(c) (1986). Water Use Act. Reservation of Water.
- ALASKA STAT. § 46.17.040 (2006). Supervision of Safety of Dams and Reservoirs. Approval Required.
- ALASKA STAT. §§ 46.39.010–.040 (2006). Coastal Management Administration.
- Albrecht, V., and J. Christman. 1999. The endangered species act. Hutton and Williams LLP. Available: <http://library.findlaw.com/1999/Jan/1/241467.html>. (August 2010).
- Alexander, R., E. Boyer, R. Smith, G. Schwarz, and R. Moore. 2007. The role of headwater streams in downstream water quality. *Journal of the American Water Resources Association* 43(1):41–59.
- Alfano, P. 2009. NEPA at 40: procedure or substance. Environmental Law Institute. Available: <http://www.eli.org/pdf/seminars/NEPA/Alfano.NEPA.pdf>. (June 2011).
- Allen, H., R. Hall, and T. Brisbin. 1980. Metal speciation. Effects on aquatic toxicity. *Environmental Science & Technology* 14(4):441–443.
- Alley, W., T. Reilly, and O. Franke. 1999. Effects of ground-water development on ground-water flow to and from surface-water bodies. Pages 30–35 *in* Sustainability of Ground-Water Resources. U.S. Geological Survey, Survey Circular 1186. Denver.
- Alto, K., S. Broderius, and L. Smith, Jr. 1977. Toxicity of xanthates to freshwater fish and invertebrates. University of Minnesota report submitted to Minnesota Environmental Quality Council, Regional Copper Nickel Study. Available: [www.leg.state.mn.us/docs/pre2003/other/CN004.pdf](http://www.leg.state.mn.us/docs/pre2003/other/CN004.pdf). (December 2011).
- Anderson, B., and D. Potts. 1987. Suspended sediment and turbidity following road construction and logging in western Montana. *Journal of the American Water Resources Association* 23(4):681–690.
- Anderson, J. 1969. Bathymetric measurements of Iliamna Lake and Lake Clark, Alaska. Fisheries Research Institute Circular No. 69–17. Fisheries Research Institute, University of Washington, Seattle.
- Argent, D., and P. Flebbe. 1999. Fine sediment effects on brook trout eggs in laboratory streams. *Fisheries Research* 39(3):253–262.
- Armstrong, R., and J. Morrow. 1980. The Dolly Varden charr, *Salvelinus malma*. Pages 99–140 *in* E.K. Balon, editor. Charrs: salmonid fishes of the genus *Salvelinus*. Springer London, UK.
- Asbury, A. 2003. Hyporheic and geomorphic characteristics of spring Chinook salmon spawning habitat of the Yakima River basin, central Washington. *Geology of Salmon, Geological Society of America Abstracts with Programs* 35(6):608.
- Asche, F., A. Guttormsen, T. Sebulonsen, and E. Sissener. 2005. Competition between farmed and wild salmon: the Japanese salmon market. *Agricultural Economics* 33(3):333–340. Available: <http://www.umb.no/statisk/ior/ageconlaks.pdf>. (August 2010).
- ASDO (Association of State Dam Officials). 2011. Dam failures and incidents. ASDO. Available: <http://www.damsafety.org/news/?p=94bdfdd0-633a-4fa2-bc39-0083c58d14ba>. (May 2011).
- ASTM (American Society for Testing and Materials). 2000. D544-96 standard test method for accelerated weathering of solid materials using a modified humidity cell. Pages 257–269 *in* Annual Book of ASTM Standards. ASTM. West Conshohocken, PA.
- Augerot, X. 2005. Atlas of Pacific salmon: the first map-based status assessment of salmon in the North Pacific. University of California Press, Berkeley.
- Australian Government Publishing Service. 1995. Sodium Ethyl Xanthate, Priority Existing Chemical No. 5, Full Public Report. Canberra. Available: [www.nicnas.gov.au/search](http://www.nicnas.gov.au/search). (December 2011).
- Ayres, R., L. Ayres, and I. Råde. 2002. The life cycle of copper, its co-products and by-products. Commissioned by the MMSK project, Report 24. International Institute for Environment and Development, London.
- Azcue, J., A. Mudroch, F. Rosa, G. Hall, T. Jackson, and T. Reynoldson. 1995. Trace elements in water, sediments, porewater, and biota polluted by tailings from and abandoned gold mine in British Columbia, Canada. *Journal of Geochemical Exploration* 52(1–2):25–34.
- Baatrup, E. 1991. Structural and functional-effects of heavy metals on the nervous system, including sense organs of fish. *Comparative Biochemistry and Physiology Part C: Pharmacology, Toxicology, and Endocrinology* 100(1–2):253–257.

- Baird, O., and C. Krueger. 2003. Behavioural thermoregulation of brook and rainbow trout: comparison of summer habitat use in an Adirondack river, New York. *Transactions of the American Fisheries Society* 132(6):1194–1206.
- Baker, J., and C. Schofield. 1982. Aluminum toxicity to fish in acidic waters. *Water, Air, and Soil Pollution* 189(1–3):289–309.
- Baker, M., W. Inniss, C. Mayfield, P. Wong, and Y. Chau. 1983. Effect of pH on the methylation of mercury and arsenic by sediment microorganisms. *Environmental Technology* 4(2):89–100.
- Baker, R., M. Knittel, J. Fryer. 1983. Susceptibility of Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), and rainbow trout, *Salmo gairdneri* Richardson, to infection with *Vibrio anguillarum* following sublethal copper exposure. *Journal of Fish Diseases* 6(3):267–275.
- Balczon, J., and J. Pratt. 1994. A comparison of the responses of two microcosm designs to a toxic input of copper. *Hydrobiologia* 281(2):101–114.
- Baldwin, D., J. Sandahl, J. Labenia, and N. Scholz. 2003. Sublethal effects of copper on coho salmon: impacts on non-overlapping receptor pathways in the peripheral olfactory nervous system. *Environmental Toxicology and Chemistry* 22(10):2266–2274.
- Baldwin, D., J. Labenia, B. French, and N. Scholz. 2007. The impacts of dissolved copper on olfactory function in juvenile coho salmon. Northwest Fisheries Science Center, National Oceanic and Atmospheric Administration. Available: <http://www.nwfsc.noaa.gov/research/divisions/ec/ecotox/fishneurobiology/copperimpacts.cfm>. (August 2010).
- Balm, T., T. Carrick, A. Conen, and T. Pottinger. 1996. Trychophyra intermedia on the gills of rainbow trout acclimating to low ambient pH. *Journal of Fish Biology* 48(1):147–150.
- Banks, D., P. Younger, R. Arnesen, E. Iversen, and S. Banks. 1997. Mine-water chemistry: the good, the bad, and the ugly. *Environmental Geology* 32(3):157–174.
- Barry, K., J. Grout, C. Levings, B. Nidle, and G. Piercey. 2000. Impacts of acid mine drainage on juvenile salmonids in an estuary near Britannia Beach in Howe Sound, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 57(10):2032–2043.
- Barton, B. 1977. Short-term effects of highway construction on the limnology of a small stream in southern Ontario. *Freshwater Biology* 7(2):99–108.
- Bash, J., C. Berman, and S. Bolton. 2001. Effects of turbidity and suspended solids on salmonids. Center for Streamside Studies, University of Washington, Seattle.
- Battin, J., M. Wiley, M. Ruckelshaus, R. Palmer, E. Korb, K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences of the United States of America* 104(16):6720–6725.
- Baxter, C., and F. Hauer. 2000. Geomorphology, hyporheic exchange, and selection of spawning habitat by bull trout (*Salvelinus confluentus*). *Canadian Journal of Fisheries and Aquatic Science* 57(7):1470–1481.
- Baxter, G. 1961. River utilization and the preservation of migratory fish life. *Proceedings of the Institution of Civil Engineers* 18(3):225–244.
- Baxter, J., and J. McPhail. 1999. The influence of redd site selection, groundwater upwelling, and over-winter incubation temperature on survival of bull trout (*Salvelinus confluentus*) from egg to alevin. *Canadian Journal of Zoology* 77(8):1233–1239.
- BBEDC (Bristol Bay Economic Development Corporation). 2003. Bristol Bay salmon fishery restructuring study: the future of the Bristol Bay salmon fishery. BBEDC. Available: [http://www.bbsalmon.com/BBEDC\\_Flyer\\_Aug\\_21\\_2003\\_Screen.pdf](http://www.bbsalmon.com/BBEDC_Flyer_Aug_21_2003_Screen.pdf). (August 2008).
- BBNC (Bristol Bay Native Corporation). 2010. Letter to Dennis McLerran, Regional Administrator, Region 10, U.S. Environmental Protection Agency. 12 August 2010. Bristol Bay Regional Seafood Development Association. Available: [http://www.bbrsda.com/layouts/bbrsda/files/documents/bbrsda\\_pebble/Bristol Bay Native Corporation EPA Letter 081210.pdf](http://www.bbrsda.com/layouts/bbrsda/files/documents/bbrsda_pebble/Bristol%20Bay%20Native%20Corporation%20EPA%20Letter%20081210.pdf). (July 2011).
- BCME (British Columbia Ministry of Environment). 2011. Analysis of effects of mine site remediation on total copper concentrations in the Tsolum River and some of its tributaries. BWP Consulting Inc. 2011. Available: <http://www.env.gov.bc.ca/wat/wq/pdf/minesite-rem-effects-on-tsolum.pdf>. (November 2011).
- Beacham, T., and C. Murray. 1985. Effect of female size, egg size, and water temperature on developmental biology of chum salmon (*Oncorhynchus keta*) from the Nitinat River, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 42(11):1755–1756.
- Beacham, T., and R. Withler. 1991. Genetic variation in mortality of Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), challenged with high water temperatures. *Aquaculture Research* 22(2):125–133.
- Beltman, D., W. Clements, J. Lipton, and D. Cacula. 1999. Benthic invertebrate metals exposure, accumulation and community-level effects downstream from a hard-rock mine site. *Environmental Toxicology and Chemistry* 18(2):299–307.

- Ben-David, M. 1997. Timing of reproduction in wild mink: the influence of spawning Pacific salmon. *Canadian Journal of Zoology* 75(3):376–382.
- Benke, A., and C. Cushing. 2005. *Rivers of North America*. Elsevier, Inc., Burlington, MA.
- Berg, L., and T. Northcote. 1985. Changes in territorial, gill-flaring, and feeding behavior, in juvenile coho salmon (*Oncorhynchus kisutch*) following short-term pulses of suspended sediment. *Canadian Journal of Fisheries and Aquatic Sciences* 42(8):1410–1417.
- Berman, C. and T. Quinn. 1991. Behavioural thermoregulation and homing by spring Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), in the Yakima River. *Journal of Fish Biology* 39(3):301–312.
- Berman, M. 1999. Alcohol control policy and Native American communities. Institute of Social and Economic Research, University of Alaska, Anchorage. Available: [http://www.iser.uaa.alaska.edu/Publications/NIAAA\\_chapter.pdf](http://www.iser.uaa.alaska.edu/Publications/NIAAA_chapter.pdf). (August 2010).
- Berntssen, M., A. Aatland, and R. Handy. 2003. Chronic dietary mercury exposure causes oxidative stress, brain lesions, and altered behaviour in Atlantic Salmon (*Salmo salar*) parr. *Aquatic Toxicology* 65(1):55–72.
- Berntssen, M., F. Kroglund, B. Rosseland, and S. Bonga. 1997. Responses of skin mucous cells to aluminum exposure at low pH in Atlantic Salmon (*Salmo salar*) smolts. *Canadian Journal of Fisheries and Aquatic Sciences* 54(5):1039–1045.
- Berry, W., N. Rubenstein, and B. Melzian. 2003. The biological effects of suspended and bedded sediment (SABS) in aquatic systems: a review. U. S. Environmental Protection Agency, Internal Report, Washington, D. C. Available: <http://www.epa.gov/waterscience/criteria/sediment>. (August 2010).
- Bigelow, R., and G. Plumlee. 1995. The Summitville Mine and its downstream effects. U.S. Geological Survey, Open File Report 95-0023, Denver, CO.
- Bilby, R., J. Heffner, B. Fransen, P. Bisson, and J. Walter. 1998. Response of juvenile coho, USA salmon (*Oncorhynchus kisutch*) and steelhead (*Oncorhynchus mykiss*) to the addition of salmon carcasses to two streams in southwest Washington. *Canadian Journal of Fisheries and Aquatic Science* 55(8):1909–1918.
- Bill, D. 1984. 1982 Kvichak River sockeye salmon smolt studies. Pages 2–13 in D.M. Eggers and H.J. Yuen, editors. 1982 Bristol Bay sockeye salmon smolt studies. Division of Commercial Fisheries, Alaska Department of Fish and Game Technical Report No. 103, Juneau, AK.
- Birtwell, I. 1999. The effects of sediment on fish and their habitat. Fisheries and Oceans Canada, Pacific Scientific Advice Review Committee, Canadian Stock Assessment Secretariat Research Document 99/139, Ottawa, ON.
- Bisaillon, J., N. Bergeron, and F. Caron. 2007. Effect of winter harshness on Atlantic salmon (*Salmo salar* L.) egg to fry (O+) and fry to parr (1+) over-winter mortality. In *Proceedings of the CGU HS Committee on River Ice Processes and the Environment*, 14th workshop of the Committee on River Ice Processes and the Environment, June 19–22, 2007: session 4—ecology and fish habitat. Committee on River Ice Processes and the Environment, Quebec City, Quebec.
- Bisson, P., and R. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon (*Oncorhynchus kisutch*). *North American Journal of Fisheries Management* 2(4):371–374.
- Bjornn, T., and D. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83–138 in W.R. Meehan. *Influences of forest and rangeland management on salmonid fishes and their habitats*. American Fisheries Society, Special Publication No. 19, Bethesda, MD.
- Black, M., D. Millsap, and J. McCarthy. 1991. Effects of acute temperature change on respiration and toxicant uptake by rainbow trout, *Salmo gairdneri* (Richardson). *Physiological Zoology* 64(1):145–168.
- Blair, G., and T. Quinn. 1991. Homing and spawning site selection by sockeye salmon (*Oncorhynchus nerka*) in Iliamna Lake, Alaska. *Canadian Journal of Zoology* 69(1):176–181.
- Blinn, D., T. Tompkins, and L. Zaleski. 1977. Mercury inhibition on primary productivity using large volume plastic chambers in situ. *Journal of Psychology* 13(1):58–61.
- Block, M. 1991. Distribution of cadmium in an octanol/water system in the presence of xanthates and diethyldithiocarbamate. *Environmental Toxicology and Chemistry* 10(10):1267–1272.
- Block, M., and A. Glynn. 1992. Influence of xanthates on the uptake of <sup>109</sup>Cd by eurasian dace (*Phoxinus phoxinus*) and rainbow trout (*Oncorhynchus mykiss*). *Environmental Toxicology and Chemistry* 11(6):873–879.
- Block, M., A. Glynn, and P. Part. 1991. Xanthate effects on cadmium uptake and intracellular distribution in rainbow trout (*Oncorhynchus mykiss*) gills. *Aquatic Toxicology* 10(4):267–283.
- Block, M., and P. Part. 1986. Increased availability of cadmium to perfused rainbow trout (*Salmo gairdneri* Rich) gills in the presence of the complexing agents diethyl dithiocarbamate, ethyl xanthate and isopropyl xanthate. *Aquatic Toxicology* 8(4):295–302.

- Boehne, P., and R. House. 1983. Stream ordering: a tool for land managers to classify western Oregon streams. U. S. Bureau of Land Management, Technical Note: OR-3, Portland, OR.
- Boening, D. 1998. Aquatic toxicity and environmental fate of xanthates. *Mining Engineering* 50(9):65–68.
- Bolliet, V., A. Bardonnnet, M. Jarry, J. Vignes, and P. Gaudin. 2005. Does embeddedness affect growth performance in juvenile salmonids? An experimental study in brown trout, *Salmo trutta* L. *Ecology of Freshwater Fish* 14(3):289–295.
- Bolton, S., J. Bash, and C. Berman. 2001. Effects of turbidity and suspended solids on salmonids. Center for Streamside Studies, University of Washington, Seattle.
- Borell, S. 2007. Regulatory changes improve Alaska’s mining climate. Alaska Miners Association, Anchorage., AK. Available: <http://www.alaskaminers.org/ME200423.pdf>. (Sept. 2010).
- Borg, K., J. Gottofrey, and H. Tjalve. 1988. Effects of some chelating agents on the uptake and distribution of  $^{203}\text{Hg}^{2+}$  in the brown trout (*Salmo trutta*): studies on ethyl- and isopropylxanthate, diethyl- diisopropylidithiophosphate, dimethyl- and diethyldithiocarbamate and pyridinethione. *Archives of Toxicology* 62(5):387–391.
- Bradford, M., and J. Irvine. 2000. Land use, fishing, climate change, and the decline of the Thompson River, British Columbia, coho Salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 57(1):13–16.
- Brannon, E. 1987. Mechanisms stabilizing salmonid fry emergence timing. Pages 120–124 in H. Smith, L. Margolis, C. Wood, editors. Proceedings of the international sockeye salmon symposium, Nanaimo, B. C., Nov 19–22, 1985: Sockeye salmon (*Oncorhynchus nerka*) population biology and future management. Fisheries and Oceans Canada Special Publication on Fisheries and Aquatic Sciences, 96, Ottawa, ON.
- Brett, J. 1971. Energetic response of salmon to temperature: a study of some thermal relations in the physiology and freshwater ecology of sockeye salmon (*Oncorhynchus nerka*). *American Zoologist* 11(1):99–113.
- Brett, J. 1995. Energetics. Pages 1–68 in C. Groot, L. Margolis, and W. Clarke, editors. Physiological ecology of Pacific salmon. University of British Columbia Press, Vancouver.
- Brett, J. 1960. Thermal requirements of fish—three decades of study, 1940–1970. Pages 110–117 in C.M. Tarzwell, editor. Biological problems in water pollution, transactions of the second seminar, April 20–24, 1959, Robert A. Taft Engineering Center, U.S. Public Health Service, Cincinnati, OH.
- Bristol Bay Borough. 2010. Bristol Bay Borough. Bristol Bay Area. Available: <http://www.theborough.com/area.html>. (September 2010).
- British Columbia Ministry of Environment. 2001. Water quality guidelines for temperature. Environmental Protection Division. Victoria, B.C. Available: <http://www.env.gov.bc.ca/wat/wq/BCguidelines/temptech/temperature.html>. (August 2010).
- Brix, K., D. DeForest, and W. Adams. 2001. Assessing acute and chronic copper risks to freshwater aquatic life using species sensitivity distributions for different taxonomic groups. *Environmental Toxicology and Chemistry* 20(8):1846–1856.
- Brown, J. 1990. Chemical, geologic, and hydrologic data from the study of acidic contamination in the Miami Wash-Pinal Creek area, Arizona, water years 1988–89. U.S. Geological Survey, Open-File Report 90-395, Menlo Park, CA.
- Brown, L., S. Chase, M. Mesa, R. Beamish, and P. Moyle, editors. 2009. Biology, management, and conservation of lampreys in North America, American Fisheries Society Symposium 72. American Fisheries Society, Bethesda, MD.
- Brown, R., N. Bickford, and K. Severin. 2007. Otolith trace element chemistry as an indicator of anadromy in Yukon River drainage coregonine fishes. *Transactions of the American Fisheries Society* 136(3):678–690.
- Brumbaugh, W., and T. May. 2008. Elements in mud and snow in the vicinity of the DeLong Mountain Regional Transportation System Road, Red Dog Mine, and Cape Krusenstern National Monument, Alaska, 2005–06. U. S. Geological Survey, Scientific Investigations Report 2008–5040, Reston, VA.
- Bruneel, O., R. Duran, C. Casiot, F. Elbaz-Poulichet, and J. Personne. 2006. Diversity of microorganisms in Fe-As-rich acid mine drainage waters of Carnoules, France. *Applied and Environmental Microbiology* 72(1):551–556.
- Bryce, S., G. Lomnický, P. Kaufmann, L. McAllister, and T. Ernst. 2008. Development of biologically based sediment criteria in mountain streams of the western United States. *North American Journal of Fisheries Management* 28(6):1714–1724.
- Bryce, S., G. Lomnický, and P. Kaufmann. 2010. Protecting sediment-sensitive aquatic species in mountain streams through the application of biologically based streambed sediment criteria. *Journal of the North American Benthological Society* 29(2):657–672.
- Buckler, D., L. Cleveland, E. Little, and W. Brumbaugh. 1995. Survival, sublethal responses, and tissue residues of Atlantic salmon exposed to acidic pH and aluminum. *Aquatic Toxicology* 31(3):203–216.

- Buckley, J., M. Roch, J. McCarter, C. Rendell, and A. Matheson. 1982. Chronic exposure of coho salmon to sublethal concentrations of copper-1. Effect on growth, on accumulation, and distribution of copper, and on copper tolerance. *Comparative Biochemistry and Physiology Part C: Pharmacology, Toxicology, and Endocrinology* 72(1):15–19.
- Buckwalter, J. 2009. FY 2009 Operational Plan: Inventory of Fish Distribution in the lower Yukon River Drainage. Alaska Department of Fish and Game.
- Buhl, K., and S. Hamilton. 1990. Comparative toxicity of inorganic contaminants released by placer mining to early life stages of salmonids. *Ecotoxicology and Environmental Safety* 20(3):325–342.
- Burger, C., J. Finn, and L. Holland-Bartels. 1995. Pattern of shoreline spawning by sockeye salmon in a glacially turbid lake: evidence for population differentiation. *Transactions of the American Fisheries Society* 124(1):1–15.
- Burger, C., R. Wilmot, and D. Wangaard. 1985. Comparison of spawning areas and times for two runs of Chinook salmon (*Oncorhynchus tshawytscha*) in the Kenai River, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 42(4):693–700.
- Burgner, R. L. 1991. Life history of sockeye salmon (*Oncorhynchus nerka*). Pages 1–117 in C. Groot and L. Margolis, editors. *Pacific salmon life histories*. University of British Columbia Press, Vancouver.
- Bury, N., J. Shaw, C. Glover, and C. Hogstrand. 2002. Derivation of a toxicity-based model to predict how water chemistry influences silver toxicity to invertebrates. *Comparative Biochemistry and Physiology, Part C* 133(1–2):259–270.
- Caldwell, B., and S. Hirschey. 1989. Green River fish habitat analysis using the instream flow incremental methodology. Washington State Department of Ecology, Water Resources Program, IFIM Technical Bulletin 89-35, Olympia, WA.
- Cambridge, M. 2005. The importance of failure in the design process. Pages 59–68 in Z. Agioutantis and K. Komnitsas, editors. *Proceedings of the geoenvironment and geotechnics (GEOENV2005) international workshop, September 12–14, 2005*. Milos Island, Greece. Heliotopos Conferences Ltd., Athens, Greece.
- Cantilli, R., R. Stevens, W. Swietlik, W. Berry, P. Kaufmann, J. Paul, R. Spehar, S. Cormier, and D. Norton. 2006. Framework for developing suspended and bedded sediments (SABS) water quality criteria. Office of Water, U.S. Environmental Protection Agency, EPA 822-R-06-001, Washington, DC.
- Carlisle, D., M. Meador, S. Mouton, and P. Ruhl. 2007. Estimation and application of indicator values for common macroinvertebrate genera and families of the United States. *Ecological Indicators* 7(1):22–33.
- Carls, M., R. Heintz, G. Marty, and S. Rice. 2005. Cytochrome P4501A induction in oil-exposed pink salmon *Oncorhynchus gorbuscha* embryos predicts reduced survival potential. *Marine Ecology Progress Series* 301:253–305.
- Carrick, T. 1979. The effect of acid water on the hatching of salmonid eggs. *The Journal of Fish Biology* 14(2):165–172.
- CBC (Canadian Broadcasting Corporation). 2007. Closure of Fraser River run threatens native food supply. CBC News. Available: <http://www.cbc.ca/canada/british-columbia/story/2007/08/08/bc-frasersalmon.html>. (September. 2010).
- Cederholm, C., L. Reid, and E. Salo. 1981. Cumulative effects of logging road sediment on salmonid populations of the Clearwater River, Jefferson County, Washington. Pages 38–74 in *Proceedings of conference on Salmon spawning gravel: a renewable resource in the Pacific Northwest?* Water Research Center, Washington State University, Report 19, Pullman, WA.
- Cederholm, C., R. Bilby, P. Bisson, T. Bumstead, B. Fransen, W. Scarlett, and J. Ward. 1997. Response of juvenile coho salmon and steelhead to placement of large woody debris in a coastal Washington stream. *North American Journal of Fisheries Management* 17(4):947–963.
- Cederholm, C., D. Johnson, R. Bilby, L. Dominguez, A. Garrett, W. Graeber, E. Greda, M. Kunze, B. Marcot, J. Palmisano, R. Plotnikoff, W. Percy, C. Simenstad, and P. Trotter. 2001. Pacific salmon and wildlife: ecological contexts, relationships, and implications for management. Pages 628–685 in D. Johnson and T. O'Neil, editors. *Wildlife-habitat relationships in Oregon and Washington*. Oregon State University Press, Corvallis, OR.
- CEQ (Council on Environmental Quality) Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act. Timing of Agency Action. 40 C.F.R. § 1506.10(b), (d) (2011).
- CEQ Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act. Elimination of Duplication with State and Local Procedures. 40 C.F.R. § 1506.2 (2011).
- CEQ Regulations for Implementing the Procedural Provisions of the National Environmental Policy Act. Major Federal Action. 40 C.F.R. § 1508.18 (2011).
- Chakoumakos, C., R. Russo, and R. Thurston. 1979. Toxicity of cooper to cutthroat trout (*Salmo clarki*) under different conditions of alkalinity, pH, and hardness. *Environmental Science and Technology* 13(2): 213-219.
- Chambers, D., and R. Moran. Mining/geochemistry/hydrogeology. Submitted to Wild Salmon Center, Portland, OR. August 2007.

- Chambers, D., and B. Higman. 2011. Long term risks of tailings dam failure. Available: <http://www.csp2.org/reports.htm>. (July 2011).
- Chapman, G. 1978. Toxicities of cadmium, copper, and zinc to four juvenile stages of Chinook salmon and steelhead. *Transactions of the American Fisheries Society* 107(6):841–847.
- Chapman, D. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. *Transactions of the American Fisheries Society* 117(1):1–21.
- Chapman, D., A. Giorgi, M. Hill, A. Maule, S. McCutcheon, D. Park, W. Platts, K. Pratt, J. Seeb, L. Seeb, and F. Utter. 1971. Status of Snake River Chinook salmon. Report of Don Chapman Consultants, Incto Pacific Northwest Utilities Conference Committee, Portland, OR.
- Chapman, G., and D. Stevens. 1978. Acutely lethal levels of cadmium, copper, and zinc to adult male coho salmon and steelhead. *Transactions of the American Fisheries Society* 107(6):837–840.
- Chappell, W.R. 1975. Transport and biological effects of molybdenum in the environment. Pages 167-188 *in* P. Krenkel, editor. *Heavy metals in the aquatic environment*. Pergamon Press, New York.
- Chugach Electrical Association, Inc. 2009. 2009 annual report. Chugach Electrical Association, Inc. Available: [http://www.chugachelectric.com/pdfs/2009\\_annual\\_report.pdf](http://www.chugachelectric.com/pdfs/2009_annual_report.pdf). (August 2010).
- Clements, W., D. Carlisle, J. Lazorchak, and P. Johnson. 2000. Heavy metals structure benthic communities in Colorado mountain streams. *Ecological Applications* 10(2):626–638.
- Coggins, L. 1992. Compilation of age, weight, and length statistics for arctic grayling samples collected in southwest Alaska, 1964 through 1989. Division of Sport Fish, Alaska Department of Fish and Game Fishery Data Series No. 92-52, Anchorage, AK.
- Colgrove, D., and J. Wood. 1966. Occurrence and control of *Chondrococcus columnaris* as related to the Fraser River sockeye salmon. International Pacific Salmon Fisheries Commission progress report No. 15, New Westminster, B.C.
- Collier, C. 1963. Influences of strip mining on the hydrologic environment of parts of Beaver Creek Basin, Kentucky. USGS, Professional Paper 427-B, Washington, D.C.
- Collings, M. 1972. A methodology for determining instream flow requirements for fish. Pages 72–86 *in* Proceedings, instream flow methodology workshop. Washington State Water Program, Olympia, WA.
- Collings, M. 1974. Generalization of spawning and rearing discharges for several Pacific salmon species in western Washington. U.S. Geological Survey, Open-File Report, Tacoma, WA.
- Colt, S. 2001. Alaska natives and the “new harpoon”: economic performance of the ANCSA regional corporations. ISER, University of Alaska, Anchorage. Available: [http://www.iser.uaa.alaska.edu/Publications/colt\\_newharpoon2.pdf](http://www.iser.uaa.alaska.edu/Publications/colt_newharpoon2.pdf). (December 2011).
- Connolly, K. 2001. The corps regulatory program section 404 permits and section 10 permits slide 27. Environmental Partners. Available: [http://environmentalpartners.net/Files/SlidesIVA\\_CORPS.ppt](http://environmentalpartners.net/Files/SlidesIVA_CORPS.ppt). (August 2010).
- Connor, W., H. Burge, J. Yearsley, and T. Bjornn. 2003. Influence of flow and temperature on survival of wild subyearling fall Chinook salmon in the Snake River. *North American Journal of Fishery Management* 23(2):362–375.
- Cook Inletkeeper. 2010. Salmon stream monitoring program: temperature. Cook Inletkeeper. Available: <http://www.inletkeeper.org/salmon/temperature.htm>. (August 2010).
- Cook, Michelle. 2004. The mystery of the disappearing sockeye salmon. University of British Columbia Reports 50(4).
- Cooper, E., and C. Wagner. 1973. The effects of acid mine drainage on fish populations. Page 114 *in* R. Butler, E. Cooper, J. Crawford, D. Hales, W. Kimmel, and C. Wagner, editors. *Fish and food organisms in acid mine waters of Pennsylvania*. U.S. EPA, EPA-R3-73-032, Washington, D. C.
- Corrill, L., and J. Huff. 1982. Occurrence, physiologic effects, and toxicity of heavy metals—arsenic, cadmium, lead, mercury, and zinc—in marine biota: an annotated literature collection. *Environmental Health Perspectives* 18:181–183.
- Coulter, D. 1976. Location studies for slurry pipelines—the effect of ground surface temperatures. Technical Memo. System Sciences, Inc., Bethesda, MD.
- Cousens, N., G. Thomas, D. Swann, and M. Healey. 1982. A review of salmon escapement estimation techniques. Pacific Biological Station, Fisheries and Oceans Canada, Canadian Technical Report of Fisheries and Aquatic Sciences 1108, Nanaimo, B.C.
- Craciun Research. 2009. Summary report: Bristol Bay residents’ views on development study. Report of Craciun Research to Nunumta Aulukestai, Dillingham, AK. Available: <http://nunamtasurvey.info/NunumtaSurveyReport.pdf>. (August 2010).
- Craddock, D., T. Blahm, and W. Parente. 1996. Occurrence and utilization of zooplankton by juvenile Chinook salmon in the lower Columbia River. *Transactions of the American Fisheries Society* 105(1):72–76.



- Crisp, D. 1996. Environmental requirements of common riverine European salmonid fish species in fresh water with particular reference to physical and chemical aspects. *Hydrobiologia* 323(3):202–221.
- Crispin, V., R. House, and D. Roberts. 1993. Changes in instream habitat, large woody debris, and salmon habitat after the reconstructing of a coastal Oregon stream. *North American Journal of Fisheries Management* 13(1):96–102.
- Crone, A., S. Personius, P. Craw, P. Haeussler, and L. Staff. 2004. The Susitna Glacier thrust fault: characteristics of surface ruptures on the fault that initiated the 2002 Denali fault earthquake. *Bulletin of the Seismological Society of America* 94 (6B): 5-22.
- Crouse, M., C. Callahan, K. Malueg, and S. Dominguez. 1981. Effects of fine sediments on growth of juvenile coho salmon in laboratory streams. *Transactions of the American Fisheries Society* 110(2):281–286.
- CWA (Federal Water Pollution Control Act of 1972) § 404, 33 U.S.C. § 1344 (2008).
- CWA Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material, Purpose and Policy. 40 C.F.R. § 230.1(c-d) (2011).
- CWA Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material, Restrictions on Discharge. 40 C.F.R. § 230.10(a-d) (2011).
- CWA Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material, Potential Impacts on Special Aquatic Sites. 40 C.F.R. § 230.40-45 (2011).
- CWA Section 404(b)(1) Guidelines for Specification of Disposal Sites for Dredged or Fill Material, Actions Affecting Plant and Animal Populations. 40 C.F.R. § 230.75 (2011).
- CWA Section 404(c) Procedures. Purpose and Scope. 40 C.F.R. § 231.1 (2011).
- CWA Section 404(c) Procedures. Definitions. 40 C.F.R. § 231.2(e) (2011).
- Dahl, B., and H. Blanck. 1996. Toxic effects of the anti-fouling agent Irgarol 1051 on periphyton communities in coastal water microcosms. *Marine Pollution Bulletin* 32(4):342–350.
- Davies, M., E. McRoberts, and T. Martin. 2002. Static liquefaction of tailings—fundamentals and case histories. Available: <http://www.infomine.com/publications/docs/Davies2002c.pdf>. (July 2011).
- Davis Jr., R., A. Welty, J. Borrego, J. Morales, J. Pendon, and J. Ryan. 2000, Rio Tinto estuary (Spain): 5000 years of pollution. Springer-Verlag, *Environmental Geology* 39(10):1107–1116
- Day, N. 2010. The Holden Mine: update on site cleanup activities. U.S. Department of Agriculture Forest Service. Available: <http://www.fs.fed.us/r6/wenatchee/holden-mine/pdf/Holden-mine-update-Summer-2010.pdf>. (September 2010).
- Demory, R., R. Orrell, and D. Heinle. 1964. Spawning ground catalog of the Kvichak River system, Bristol Bay, Alaska. U.S. Fish and Wildlife Service, Special Scientific Report, Fisheries No. 488, Washington, D.C.
- Denial or Restriction of Disposal Sites, Section 404(c) Procedures, 44 Fed. Reg. 58,076-7 (1979).
- Department of Transportation v. Public Citizen, 541 U.S. 752, 775 (2004).
- Dethloff, G., and H. Bailey. 1998. Effects of copper on immune system parameters of rainbow trout (*Oncorhynchus mykiss*). *Environmental Toxicology and Chemistry* 17(9):1807–1814.
- Dethloff, G., D. Schlenk, J. Hamm, and H. Bailey. 1999. Alterations in physiological parameters of rainbow trout (*Oncorhynchus mykiss*) with exposure to copper and copper/zinc mixtures. *Ecotoxicology and Environmental Safety* 42(3):253–264.
- DeWalle, D., R. Dinicola, and W. Sharpe. 1987. Predicting baseflow alkalinity as an index to episodic stream acidification and fish presence. *Water Resources Bulletin* 23(1):29-35.
- Diamond, J. 2006. *Collapse: how societies choose to fail or succeed*. Penguin Books, New York.
- Dobb, E. 2010. Alaska’s choice. *National Geographic Magazine* December, 2010: 100-125.
- Dobbyn, P. 2005. Mine poisons Alaska EPA listing. *Anchorage Daily News* May 12, 2005: F1.
- Dockray, J., I. Morgan, S. Reid, and C. Wood. 1998. Responses of juvenile rainbow trout, under food limitation, to chronic low pH and elevated summer temperatures, alone and in combination. *Journal of Fish Biology* 52(1):62–82.
- Donaldson, J. 1967. The phosphorus budget of Iliamna Lake, Alaska, as related to the cyclic abundance of sockeye salmon. Ph.D. dissertation, University of Washington, Seattle.
- Douglas, T. 2006. Review of groundwater salmon interactions in British Columbia. Watershed Watch. Available: <http://www.water-shed-watch.org/publications/files/Groundwater+Salmon++hi+res+print.pdf>. (August 2010).
- Doukas, A., A. Cretney, and J. Vadgama. 2008. Booms to bust: social and cultural impacts of the mining cycle. The Pembina Institute. Available: <http://pubs.pembina.org/reports/boombust-final.pdf>. (August 2010).

- Dube, M., D. MacLatchy, J. Kieffer, N. Glozier, J. Culp, and K. Cash. 2005. Effects of metal mining effluent on Atlantic salmon (*Salmo salar*) and slimy sculpin (*Cottus cognatus*): using artificial streams to assess existing effects and predict future consequences. *The Science of Total Environment* 343(1-3):135-154.
- Duffield, J. 1997. Non-market valuation and the courts: the case of the Exxon Valdez. *Contemporary Economic Policy*. 5(15):98-109.
- Duffield, J., C. Neher, and D. Patterson. 2007. Economics of wild salmon watersheds: Bristol Bay Alaska, revised final report. Trout Unlimited, Juneau, AK.
- Duffield, J., 2009. Bristol Bay wild salmon ecosystem economics: 2008 update. Duffield, J.W., Neher, C.J., Patterson, D.A., and Goldsmith, O.S., Economics of Wild Salmon Ecosystems: Bristol Bay, Alaska. Proceedings of U.S. Department of Agriculture Forest Service, PMRS-P-49.
- Dunaway, D. 1993. Status of rainbow trout stocks in the Agulowak and Agulukpak Rivers of Alaska during 1992. Division of Sport Fish, ADFG, Fishery Data Series No. 93-41, Anchorage, AK.
- Earle, J., and T. Callaghan. 1998. Impacts of mine drainage on aquatic life, water uses, and man-made structures. Pages 41-43 in Coal mine drainage prediction and pollution prevention in Pennsylvania. Pennsylvania Department of Environmental Protection, Harrisburg.
- Earthworks. 2004. False promises: water quality predictions gone wrong. Bristol Bay Alliance. Available: [http://www.bristolbayalliance.com/mines\\_and\\_water.htm](http://www.bristolbayalliance.com/mines_and_water.htm). (August 2010).
- Earthworks. 2010. Water-related impacts at the Pebble Mine. Earthworks, Our Bristol Bay. Available: <http://ourbristolbay.com/water-related-impacts.html>. (February 2011).
- Earthworks. 2010a. Grouse Creek gold and silver mine, Idaho. Earthworks. Available: [http://www.earthworkssaction.org/grouse\\_creek.cfm](http://www.earthworkssaction.org/grouse_creek.cfm). (August 2010).
- Earthworks. 2011. Zortman and Landusky gold mines. Earthworks. Available: [http://www.earthworkssaction.org/zortman\\_landusky.cfm](http://www.earthworkssaction.org/zortman_landusky.cfm). (June 2011).
- Eash, J., and R. Rickman. 2004. Floods on the Kenai Peninsula, Alaska, October and November 2002. U.S. Geological Survey, Fact Sheet 2004-3023, Anchorage, AK.
- Ecology and Environment, Inc. 2010. An assessment of ecological risk to wild salmon systems from large-scale mining in the Nushagak and Kvichak watersheds of the Bristol Bay basin. Report of Ecology and Environment, Inc. to The Nature Conservancy, Arlington, VA.
- Edwards, M., and J. Larson. 2003. Estimation of coho salmon escapement in the Ugashik Lake systems, Alaska Peninsula national wildlife refuge, 2002. King Salmon Fish and Wildlife Field Office, U.S. Fish and Wildlife Service, Alaska Fisheries Data Series 2003-3, King Salmon, AK.
- Eggers, D., and H. Yuen, editors. 1984. 1982 Bristol Bay sockeye salmon smolt studies. Division of Commercial Fisheries, Alaska Department of Fish and Game, Technical Data Report No. 103, Juneau, AK.
- Eglin, G., and W. Hubert. 1993. Effects of logging and roads on substrate and trout in streams of the Medicine Bow national forest, Wyoming. *North American Journal of Fisheries Management* 13(4):844-846.
- EIFAC (European Inland Fisheries Advisory Commission). 1964. Water quality criteria for European fresh water fish. Report on finely divided solids and inland fisheries. Food and Agricultural Organization of the United Nations and the EIFAC, EIFAC Technical Paper No. 1, Rome, Italy.
- Einan, D., and L. Klasner. 2010. Holden Mine cleanup project: agencies' proposed plan. U.S. Environmental Protection Agency and Washington Department of Ecology public meeting slide presentation. U.S. Department of Agriculture Forest Service. Available: <http://www.fs.fed.us/r6/wenatchee/holden-mine>. (September 2010).
- Eisler, R. 2000. Handbook of chemical risk assessment: health hazards to humans, plants, and animals, vol. 1: metals. Lewis Publishers, New York.
- Elimination of Duplication with State and Local Procedures, 40 C.F.R. § 1506.2 (1978).
- Ellis, B., J. Stanford, and J. Ward. 1998. Microbial assemblages and production in alluvial aquifers of the Flathead River, Montana, USA. *Journal of the North American Benthological Society* 17(4):382-402.
- Engel, S. 1976. Food habits and prey selection of coho salmon (*Oncorhynchus kisutch*) and cisco (*Coregonus artedii*) in relation to zooplankton dynamics in Palette Lake, Wisconsin. *Transactions of the American Fisheries Society* 105(5):607-614.
- Englund, G., and B. Malmqvist. 1996. Effects of flow regulation, habitat area, and isolation on the macroinvertebrate fauna of rapids in north Swedish Rivers. *Regulated Rivers: Research and Management* 12(4-5):433-445.

- Enserink, E., J. Maas-Diepeveen, and C. van Leeuwen. 1991. Combined toxicity of metals: an ecotoxicological evaluation. *Water Research* 25(6):679–687.
- Epler, P. 2011a. Compromise in works for management of coastal development. *Alaska Dispatch* April 5, 2011. Available: <http://www.alaskadispatch.com/article/compromise-works-management-coastal-development>. (June 2011).
- Epler, P. 2011b. Alaska coastal communities push for local control. *Alaska Dispatch* January 28, 2011. Available: <http://www.alaskadispatch.com/article/alaska-coastal-communities-push-local-control>. (June 2011).
- Epler, P. 2011c. Contentious coastal management measure clears House. *Alaska Dispatch* 16 April, 2011. Available: <http://www.alaskadispatch.com/article/contentious-coastal-management-measure-clears-house>. (June 2011).
- Epler, P. 2011d. It's a wrap: Alaska State Legislature adjourns. *Alaska Dispatch* May 14, 2011. Available: <http://www.alaskadispatch.com/article/its-wrap-alaska-legislature-adjourns>. (June 2011).
- Eppinger, R., D. Frey, K. Kelley, S. Smith, and S. Giles. 2009. A hydrogeochemical exploration study at the Pebble Deposit, Alaska. Pages 365-368 *in* D. Lentz, K. Thorne, and K. Beal, editors. *Proceedings of 24<sup>th</sup> International Applied Geochemistry Symposium*, New Brunswick, CA. Available: [http://www.appliedgeochemists.org/events/iags2009/abstracts/24th\\_IAGS\\_Abstracts\\_Vol1\\_revised\\_New\\_and\\_Old\\_Discoveries\\_Case\\_Studies.pdf](http://www.appliedgeochemists.org/events/iags2009/abstracts/24th_IAGS_Abstracts_Vol1_revised_New_and_Old_Discoveries_Case_Studies.pdf). (December 2011).
- ESA (Endangered Species Act of 1973) § 7, 16 U.S.C. § 1536 (a)(3) (1988).
- ESA § 7, 16 U.S.C. § 1536 (a)(2)(1988).
- ESA § 7, 16 U.S.C. § 1536 (b)(3)(A)(1988) Eshleman, K. 1988. Predicting regional episodic acidification of surface waters using empirical models. *Water Resources Research* 24(7):1118-1126.
- Esselman, P., D. Infante, L. Want, D. Wu, A. Cooper, and W. Taylor. In press. An initial assessment of integrated human disturbances on stream fish habitats in the conterminous United States. Report of Assessment Team to the Science and Data Committee and Board of the National Fish Habitat Action Plan.
- Estes, C. 1987. Instream flow. Division of Sport Fish, ADFG, Data Series No. 23, Juneau, AK.
- Estes, C. 2001. The status of Alaska water export laws and water transfers. *In* Proceedings of the American Society of Civil Engineers world water and environmental resources congress, Orlando, FL, May 20–24, 2001. American Society of Civil Engineers Publications, Reston, VA.
- Everest, F., R. Beschta, J. Scrivener, K. Koski, J. Sedell, and C. Cederholm. 1987. Fine sediment and salmonid production: a paradox. Pages 143–190 *in* E.O. Salo and T.W. Cundy, editors. *Streamside Management: Forestry and fishery interactions*. Institute of Forest Resources, University of Washington, Seattle.
- Exponent. 2007. DMTS Fugitive Dust Risk Assessment Volume I—Report. Report of Exponent for Teck Cominco Alaska Inc., Anchorage, AK.
- Fall, J., M. Chythlook, J. Schichnes, and J. Morris. 1996. An overview of the harvest and use of freshwater fish by the communities of the Bristol Bay region, southwest Alaska. Division of Subsistence, ADFG, Technical Paper No. 166, Juneau, AK.
- Fall, J., D. Holen, B. Davis, T. Krieg, and D. Koster. 2006. Subsistence harvests and uses of wild resources in Iliamna, Newhalen, Nondalton, Pedro Bay, and Port Alsworth, Alaska, 2004. Alaska Department of Fish and Game, Technical Paper No. 302, Juneau, AK.
- Farwell, M., R. Bailey, and B. Rosenberger. 1999. Enumeration of the 1995 Nicola River Chinook salmon escapement. Science Branch Pacific Region, DFO, Canadian Manuscript Report of Fisheries and Aquatic Sciences 2453, Kamloops, B.C.
- Farwell, M., R. Bailey, and B. Rosenberger. 1996. Enumeration of the 1996 Nicola River Chinook salmon escapement. Science Branch Pacific Region, DFO, Canadian Manuscript Report of Fisheries and Aquatic Sciences 2525, Kamloops, B.C.
- Farwell, M., R. Bailey, and B. Rosenberger. 1997. Enumeration of the 1997 Nicola River Chinook salmon escapement. Science Branch Pacific Region, DFO, Canadian Manuscript Report of Fisheries and Aquatic Sciences 2491, Kamloops, B.C.
- Felt Soul Media. 2009. Red gold: considering the future of Bristol Bay. Felt Soul Media. Available: [http://www.feltsoulmedia.com/redgold\\_studyguide.pdf](http://www.feltsoulmedia.com/redgold_studyguide.pdf). (September 2010).
- Fey, D. 2003. Acid base accounting: assessing the toxicity potential of mine-waste piles. Presentation to Billings Symposium/ASMR Annual Meeting, June 1, 2003. U.S. Geological Survey. Available: [http://www.swrcb.ca.gov/academy/courses/acid/supporting\\_material/usgs\\_acidbaseacct.pdf](http://www.swrcb.ca.gov/academy/courses/acid/supporting_material/usgs_acidbaseacct.pdf). (December 2011).
- Ferrell, J. 2010. Despite uncertain presence of species, Ninth Circuit upholds critical habitat designation for spotted owls. Marten Law Group. Available: <http://www.martenlaw.com/newsletter/20100616-mexican-spotted-owls-habitat>. (August 2010).
- FWCA (Fish and Wildlife Coordination Act of 1934), 16 U.S.C. §§ 661-667(e) (2002).
- Fish Base. 2010. “Fish Base.” Fish Base. Available: <http://www.fishbase.org>. (January 2010).

- Flebbe, P., L. Roghair, and J. Bruggink. 2006. Spatial modeling to project southern Appalachian trout distribution in a warmer climate. *Transactions of the American Fisheries Society* 135(5):1371–1382.
- Ford, J., and L. Hasselbach. 2001. Heavy metals in mosses and soils on six transects along the Red Dog Mine haul road, Alaska. Western Arctic National Parklands, U. S. National Park Service NPS/AR/NRTR-2001/38, Kotzebue, AK. Available: <http://www.dec.state.ak.us/spar/csp/docs/reddog/reddogrpt2.pdf>. (September 2010).
- Franklin, N., J. Stauber, S. Apte, and R. Lim. 2002. Effect of initial cell density on the bioavailability and toxicity of copper in microalgal bioassays. *Environmental Toxicology and Chemistry* 21(4):742–751.
- Fraser Basin Council. 2004. Fraser Basin. Fraser Basin Council. Available: [http://www.fraserbasin.bc.ca/fraser\\_basin/index.html](http://www.fraserbasin.bc.ca/fraser_basin/index.html). (August 2010).
- Fraser Basin Council. 2006. State of the Fraser Basin report sustainability snapshot: Fish and fisheries. Fraser Basin Council. Available: <http://www.shim.bc.ca/atlas/fbc/ss3/Fish.html>. (August 2010).
- French, M., and L. Evans. 1988. The effects of copper and zinc on the growth of the fouling diatoms *Amphora* and *Amphiprora*. *Biofouling* 1(1):3–18.
- Frissell, C. 1993. Topology of extinction and endangerment of native fishes in the Pacific Northwest and California (U.S.A.). *Conservation Biology* 7(2):342–354.
- Fry, F. 1967. Response of vertebrate poikilotherms to temperature. Pages 376–409 in A.H. Rose, editor. *Thermobiology*. Academic Press, New York.
- Fryer, J., and K. Pilcher. 1974. Effects of temperature on diseases of salmonid fishes. Office of Research and Development, USEPA, EPA-660/3-73-020, Washington, D. C.
- Fudge, T., K. Wautier, R. Evans, and V. Palace. 2008. Effect of different levels of fine-sediment loading on the escapement success of rainbow trout fry from artificial redds. *North American Journal of Fisheries Management* 28(3):758–765.
- Gallant, A., E. Binnian, J. Omernik, and M. Shasby. 1995. *Ecoregions of Alaska*. U.S. Geological Survey, Professional Paper 1567, Washington, D.C.
- Garrett, J., D. Bennett, F. Frost, and R. Thurow. 1998. Enhanced incubation success for Kokanee spawning in groundwater upwelling sites in a small Idaho stream. *North American Journal of Fisheries Management* 18(4):925–930.
- Geist, D., T. Hanrahan, E. Arntzen, G. McMichael. 2002. Physicochemical characteristics of the hyporheic zone affect redd site selection of chum salmon and fall Chinook salmon in the Columbia River. *North American Journal of Fisheries Management* 22(4):1077–1085.
- Gende, S., R. Edwards, M. Wilson, and M. Wipfli. 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience* 52(10):917–928.
- Ghaffari, H., R. Morrison, M. de Ruijter, A. Zivkovic, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. Preliminary assessment of the Pebble project, Southwest Alaska. Report of Wardrop Engineering Inc., a Tetra Tech Company to Northern Dynasty Minerals Ltd., Vancouver, BC.
- Giattina, J., R. Garton, and D. Stevens. 1982. Avoidance of copper and nickel by rainbow trout as monitored by a computer-based data acquisition system. *Transactions of the American Fisheries Society* 111(4):491–504.
- Giblin, A. 2001. *Groundwaters: Geochemical pathfinders to concealed ore deposits*. CSIRO Exploration and Mining, Collingwood, VIC.
- Gillilan, D., and T. Brown. 1997. *Instream flow protection: seeking a balance in western water use*. Island Press, Washington, DC.
- Gippel, C. 2006. *Scoping study of operational changes to reduce river and storage losses along the River Murray system*. Living Murray, Murray-Darling Basin Commission, Canberra City, ACT.
- Global InfoMine Inc. 2006. Gibraltar. Global InfoMine Inc. Available: <http://www.infomine.com/minesite/minesite.asp?site=Gibraltar>. (August 2010).
- Glancy, P. 1973. A reconnaissance of streamflow and fluvial sediment transport, Incline Village area, Lake Tahoe, Nevada. Division of Water Resources, Nevada State Department of Conservation and Natural Resources, Information Report 23, Carson City, NV.
- Goldsmith, O., A. Hill, T. Hull, M. Markowski and R. Unsworth. 1998. Economic assessment of Bristol Bay area national wildlife refuges: Alaska peninsula/Becherof, Izembek, Togiak. Fish & Wildlife Service, U.S. Department of the Interior, Washington, D.C.
- Goldsmith, S. 2007. The remote rural economy of Alaska. Institute of Social and Economic Research, University of Alaska, Anchorage, AK. Available: [http://www.iser.uaa.alaska.edu/Publications/u\\_ak/uak\\_remoteruraleconomyak.pdf](http://www.iser.uaa.alaska.edu/Publications/u_ak/uak_remoteruraleconomyak.pdf). (August 2010).

- Goldstein, J., D. Woodward, and A. Farag. 1999. Movements of adult Chinook salmon during spawning migration in a metals-contaminated system, Coeur d'Alene River, Idaho. *Transactions of the American Fisheries Society* 128(1):121–129.
- Gray, G. 2005. Major changes to the Alaska coastal management program. In proceedings of the 14th Biennial Coastal Zone Conference, July 17–21, 2005, New Orleans, LA. Ed. National Oceanic and Atmospheric Administration, Coastal Services Center, Charleston, SC.
- Gray, J., P. Theodorakos, E. Bailey, R. Turner. 2000. Distribution, speciation, and transport of mercury in stream-sediment, stream-water, and fish collected near abandoned mercury mines in southwestern Alaska, USA. *The Science of the Total Environment* 260(1):21–33.
- Green Mountain Institute for Environmental Democracy. 1998. Toward "a small but powerful" set of regional salmon habitat indicators for the Pacific Northwest. Report of Green Mountain Institute for Environmental Democracy to Pacific Northwest Salmon Habitat Indicators Work Group, Montpelier, VT.
- Gregory, R. 1992. The influence of ontogeny, perceived risk of predation, and visual ability on the foraging capability of juvenile Chinook salmon. Pages 271–284 in D. Stouder, K. Fresh, and R. Feller, editors. *Theory and application in fish feeding ecology*. The Belle W. Baruch library in marine science, no. 18. University of South Carolina Press, Columbia.
- Gregory, R., and T. Northcote. 1993. Surface, planktonic, and benthic foraging by juvenile Chinook salmon (*Oncorhynchus tshawytscha*) in turbid laboratory conditions. *Canadian Journal of Fisheries and Aquatic Sciences* 50(2):233–240.
- Gregory-Eaves, I., M. Demers, L. Kimpe, E. Krummel, R. Macdonald, B. Finney, and J. Blais. 2007. Tracing salmon-derived nutrients and contaminants in freshwater food webs across a pronounced spawner density gradient. *Environmental Toxicology and Chemistry* 26(6):1100–1108.
- Gresh, T., J. Lichatowich, and P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the Northeast Pacific ecosystem: evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries* 25(1):15–21.
- Groot and L. Margolis, editors. 2001. *Pacific salmon life histories*. University of British Columbia Press, Vancouver, BC.
- Gross, C. 2008. Grouse Creek, Idaho; site reclamation and long-term water management. In Proceedings of the 2008 U.S. EPA/NGWA Remediation of Abandoned Mine Lands Conference, October 2-3, 2008, Westerville, OH. Available: <http://ngwa.confex.com/ngwa/mine08/webprogram/Paper5511.html>. (August 2010).
- Guerriere, A. 2003. PD agrees to pay fine, replace pipeline at New Mexico facility. *American Metal Market*. Available: [http://www.amm.com/SearchResults.aspx?Keywords=Phelps Dodge Corp. paid a \\$42,150 civil penalty to the New Mexico Environment Department %28&OrderType=1](http://www.amm.com/SearchResults.aspx?Keywords=Phelps+Dodge+Corp.+paid+a+$42,150+civil+penalty+to+the+New+Mexico+Environment+Department+%28&OrderType=1). (June 2011)
- Habicht, C., J. Olsen, L. Fair, and J. Seeb. 2004. Smaller effective population sizes evidenced by loss of microsatellite alleles in tributary-spawning populations of sockeye salmon from the Kvichak River, Alaska drainage. *Environmental Biology of Fishes* 69(1–4):51–62.
- Habicht, C., L. Seeb, and J. Seeb. 2007. Genetic and ecological divergence defines population structure of sockeye salmon populations returning to Bristol Bay, Alaska, and provides a tool for admixture analysis. *Transactions of the American Fisheries Society* 136(1):82–94.
- Haeussler, P., and G. Plafker. 1995. Earthquakes in Alaska. U.S. Geological Survey, Open-File Report 95-624. Available: <http://geopubs.wr.usgs.gov/open-file/of95-624>. (August 2010).
- Haeussler, P., and R. Saltus. 2005. 26 km of offset on the Lake Clark fault since late Eocene time. USGS, Professional Paper 1790-A, Reston, VA.
- Haley, S., G. Fay, H. Griego, and B. Saylor. 2008. Appendix G—social conditions: Red Dog Mine extension—Aqqaluk Project. Institute of Social and Economic Research, University of Alaska, Anchorage, AK. Available: [http://www.iser.uaa.alaska.edu/Publications/8\(a\)/background info/RedDog-Appendix\\_G.pdf](http://www.iser.uaa.alaska.edu/Publications/8(a)/background+info/RedDog-Appendix_G.pdf). (August 2010).
- Haley, S., and J. Magdanz. 2008. The impact of resource development on social ties: theory and methods for assessment. Chapter 2 in C. O'Faircheallaigh and S. Ali, editors. *Earth matters: indigenous peoples, corporate social responsibility and resource development*. Greenleaf Publishing, Sheffield, UK.
- Hall, T. 1986. A laboratory study of the effects of fine sediments on survival of three species of Pacific salmon from eyed-egg to fry emergence. National Council of Paper Industry for Air and Stream Improvement, Technical Bulletin 482, New York.
- Hamilton, S., K. Buhl, N. Faerber, N. Wiedmeyer, and F. Bullard. 1990. Toxicity of organic selenium in the diet of Chinook salmon. *Environmental Toxicology and Chemistry* 9(3):347–358.
- Hanrahan, T. 2007. Large-scale variability of riverbed temperature gradients in Snake River fall Chinook salmon spawning areas. *River Research and Applications* 23(3):323–341.

- Hansen, J., J. Rose, R. Jenkins, K. Gerow, and H. Bergman. 1999. Chinook salmon (*Oncorhynchus tshawytscha*) and rainbow trout (*Oncorhynchus mykiss*) exposed to copper: neurophysiological and histological effects on the olfactory system. *Environmental Toxicology and Chemistry* 18(9):1979–1991.
- Hansen, J., J. Lipton, and P. Welsh. 2002. Relative sensitivity of bull trout (*Salvelinus confluentus*) and rainbow trout to acute copper toxicity. *Environmental Toxicology and Chemistry* 21(3):633–639.
- Hanson, C. 1991. Acute temperature tolerance of juvenile Chinook salmon from the Mokelumne River. Hanson Environmental, Walnut Creek, CA.
- Harner, M., and J. Stanford. 2003. Differences in cottonwood growth between a losing and a gaining reach of an alluvial flood plain. *Ecology* 84(6):1453–1458.
- Hasselbach, L., J. Ver Hoef, J. Ford, P. Neitlich, E. Crecelius, S. Berryman, B. Wolk, and T. Bohle. 2005. Spatial patterns of cadmium and lead deposition on and adjacent to National Park Service lands in the vicinity of Red Dog Mine, Alaska. *Science of the Total Environment* 348(1–3):211–230.
- Hayashi, M., and D. Rosenberry. 2002. Effects of ground water exchange on the hydrology and ecology of surface water. *Ground Water* 40(3):309–316.
- HDR Alaska and CH2M Hill. 2008. Groundwater and surface water quality: mine area surface water 2004-2007. Report F2. HDR, Anchorage, AK.
- Hecht, S., D. Baldwin, C. Mebane, T. Hawkes, S. Gross, and N. Scholz. 2007. An overview of sensory effects on juvenile salmonids exposed to dissolved copper: applying a benchmark concentration approach to evaluate sublethal neurobehavioral toxicity. National Oceanic and Atmospheric Administration, Technical Memorandum NMFS-NWFSC-83, Seattle, WA.
- Hecla Mining Co., and Great Lakes Minerals Inc. 1994. Business Wire. Available: <http://www.allbusiness.com/environment-natural-resources/ecology-environmental/7084102-1.html>. (June 2011).
- Heggnes, J., S. Saltveit and O. Lingaas, 1996. Predicting fish habitat use to changes in water flow: modeling critical minimum flows for Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*. *Regulated Rivers: Research and Management* 12(2-3):331-344.
- Heintz, R., J. Short, and S. Rice. 1999. Sensitivity of fish embryos to weathered crude oil: Part II. Increased mortality of pink salmon (*Oncorhynchus gorbuscha*) embryos incubating downstream from weathered *Exxon Valdez* crude oil. *Environmental Toxicology and Chemistry* 18(3):494–503.
- Heintz, R., S. Rice, A. Wertheimer, R. Bradshaw, F. Thrower, J. Joyce, and J. Short. 2000. Delayed effects on growth and marine survival of pink salmon *Oncorhynchus gorbuscha* after exposure to crude oil during embryonic development. *Marine Ecology Progress Series* 208:205–216.
- Hellawell, J. 1986. Biological indicators of freshwater pollution and environmental management, pollution monitoring series. Elsevier Applied Science, London.
- Helvoigt, T., and D. Charlton. 2009. The economic value of the Rogue River salmon. Report of ECONorthwest to Save the Wild Rogue Campaign, Ashland, OR. Available: <http://www.americanrivers.org/assets/pdfs/wild-and-scenic-rivers/the-economic-value-of-rogue.pdf>. (August 2010).
- Hem, J. 1985. Study and interpretation of the chemical characteristics of natural waters, 3<sup>rd</sup> Edition. U.S. Geological Survey Water-Supply Paper 2254.
- Henderson, M., D. Leavy, and J. Stockner. 1992. Probable consequences of climate change on freshwater production of Adams River sockeye salmon (*Oncorhynchus nerka*). *GeoJournal* 28(1):51–59.
- Herbert, D., and J. Merckens. 1961. The effects of suspended mineral solids on the survival of trout. *International Journal of Air and Water Pollution* 5:46–55.
- Herbert, D., and J. Richards. 1963. The growth and survival of fish in some suspensions of solids of industrial origin. *International Journal of Air and Water Pollution* 7:297–302.
- Herz, S., and B. Gestring. 2009. Anglo America’s Pebble Mine investor advisory: Reputational risks, regulatory challenges, and legal uncertainties. Earthworks, Washington, D.C. Available: [http://www.earthworksaction.org/files/publications/PebbleInvestorRiskReport\\_FINAL.pdf?pubs/PebbleInvestorRiskReport\\_FINAL.pdf](http://www.earthworksaction.org/files/publications/PebbleInvestorRiskReport_FINAL.pdf?pubs/PebbleInvestorRiskReport_FINAL.pdf). (December 2011).
- Hetrick, F., M. Knittel, and J. Fryer. 1979. Increased susceptibility of rainbow trout to infectious hematopoietic necrosis virus after exposure to copper. *Applied and Environmental Microbiology* 37(2):198–201.
- Higgins, D., and S. Wiemeyer. 2001. Nevada assessment of wildlife hazards associated with mine pit lakes. Nevada Fish and Wildlife Office, Interim Report, Reno, NV.

- Hightower, J., and D. Moore. 2003. Mercury levels in high-end consumers of fish. *Environmental Health Perspectives* 111(4):604–609.
- Higman, B. 2010. Waste storage ‘in perpetuity.’ Ground Truth Trekking. Available: <http://www.groundtruthtrekking.org/Issues/OtherIssues/InPerpetuity.html>. (December 2010).
- Higman, B., and A. Mattox. 2009. Field studies of active faults in the Lake Iliamna region. Ground Truth Trekking. Available: <http://www.groundtruthtrekking.org/Reports/FaultHunt01/index.html>. (December 2010).
- Hilborn, R., T. Quinn, D. Schindler, and D. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences* 100(11):6564–6568.
- Hilderbrand, G., S. Farley, C. Robbins, T. Hanley, K. Titus, and C. Servheen. 1996. Use of stable isotopes to determine diets of living and extinct bears. *Canadian Journal of Zoology* 74(1): 2080–2088.
- Hilderbrand, G., T. Hanley, C. Robbins, and C. Schwartz. 1999. Role of brown bears (*Ursus arctos*) in the flow of marine nitrogen into a terrestrial ecosystem. *Oecologia* 121(4):546–550.
- Hildrew, A., C. Townsend, and J. Francis. 1984. Community structure in some English streams: the influence of species interaction. *Freshwater Biology* 14(3):297–310.
- Hill, R. 1974. Mining impacts on trout habitat. Pages 47–57 *in* Proceedings of a symposium on trout habitat, research and management. Appalachian Consortium Press, Boone, NC.
- Hiroshi, M. 1998. The effect of turbidity on the feeding behavior of juvenile Masu salmon (*Oncorhynchus masou*). *Bulletin of the National Salmon Resources Center* 1:1–11.
- Hocking, M., and J. Reynolds. 2011. Impacts of salmon on riparian plant diversity. *Science* 331(6024):1609–1612.
- Hodgson, S., and T. Quinn. 2002. The timing of adult sockeye salmon migration into fresh water: adaptations by populations to prevailing thermal regimes. *Canadian Journal of Zoology* 80(3):542.
- Hoehn, R., and D. Sizemore. 1977. Acid mine drainage and its impact on a small Virginia stream. *Journal of the American Water Resources Association* 13(1):153–160.
- Hogg, I., and D. Williams. 1996. Response of stream invertebrates to a global-warming thermal regime: An ecosystem-level manipulation. *Ecology* 77(2):395–407.
- Hollibaugh, J., D. Seibert, and W. Thomas. 1980. A comparison of the acute toxicity of ten heavy metals to phytoplankton from Saanich Inlet, B.C., Canada. *Estuarine and Coastal Marine Science* 10(1):93–105.
- Holt, R., A. Amandi, J. Rohovec, and J. Fryer. 1989. Relation of water temperature to bacterial cold-water disease in coho salmon, Chinook salmon, and rainbow trout. *Journal of Aquatic Animal Health* 1(2):94–101.
- Holt, R., J. Sanders, J. Zinn, J. Fryer, and K. Pilcher. 1975. Relation of water temperature to *Flexibacter columnaris* infection in steelhead trout (*Salmo gairdneri*) coho (*Oncorhynchus kisutch*) and Chinook (*O. tshawytscha*) salmon. *Journal of the Fisheries Research Board of Canada* 32:1553–1559.
- Hope, B. 2003. A basin-specific aquatic food web biomagnification model for estimation of mercury target levels. *Environmental Toxicology and Chemistry* 22(10):2525–2537.
- Howells, G., D. Brown, and K. Sandler. 1983. Effects of acidity, calcium, and aluminum on fish survival and productivity—a review. *Journal of the Science of Food and Agriculture* 34(6):559–570.
- Hughes, R. 1985. Use of watershed characteristics to select control streams for estimating effects of metal mining wastes on extensively disturbed streams. *Environmental Management* 9(3):253–262.
- Hughes, R., and G. Davis. 1986. Production of coexisting juvenile coho salmon and steelhead trout in heated model stream communities. Pages 322–337 *in* J. Cairns, Jr., editor. Community toxicity testing. ASTM (American Society for Testing and Materials), ASTM STP 920, Philadelphia, PN.
- Hulen, D. 1989. Zinc levels in creek concern state officials. *Anchorage Daily News* 7 October, 1989:B1+.
- Hulen, D. 1990. Toxic metals foul stream near mine. *Anchorage Daily News* August 18, 1990:A1+.
- Huntington, C., W. Nehlsen, and J. Bowers. 1996. A survey of healthy native stocks of anadromous salmonids in the Pacific Northwest and California. *Fisheries* 21(3):6–14.
- Huskey, L. 1992. The economy of village Alaska. University of Alaska, Institute of Economic Research, Anchorage, AK. Available: [http://www.iser.uaa.alaska.edu/Publications/fuelcosts\\_viabilityref/Huskey Economy of Village Alaska.pdf](http://www.iser.uaa.alaska.edu/Publications/fuelcosts_viabilityref/Huskey%20Economy%20of%20Village%20Alaska.pdf). (August 2010).
- Hynes, H.B.N. 1970. The ecology of running waters. University of Toronto Press, Toronto, ON.

- ICOLD (International Commission of Large Dams). 2001. Tailings dams—risk of dangerous occurrences: lessons learnt from practical experiences. ICOLD, Bulletin 121, Paris, France.
- IIED (International Institute for Environment and Development). 2002. Breaking new ground: mining, minerals and sustainable development. IIED Final Report. Available: <http://www.iied.org/sustainable-markets/key-issues/business-and-sustainable-development/mmsd-final-report>. (December 2011).
- Ikuta, K., A. Munakata, K. Aida, M. Amano, and S. Kitamura. 2001. Effects of low pH on upstream migratory behavior in land-locked sockeye salmon (*Oncorhynchus nerka*). *Water, Air, and Soil Pollution* 130(1–4):99–106.
- Ikuta, K., T. Yada, S. Kitamura, F. Ito, M. Yamaguchi, T. Nishamura, T. Kaneko, M. Nagae, A. Ishimatsu, and M. Iwata. 2000. Effects of acidification on fish reproduction. Pages 39–46 in *Spawning and maturation of aquaculture species: Proceedings of the twenty-eighth UJNR aquaculture panel symposium, Kihei, Hawai'i, November 10–12, 1999*. UJNR Aquaculture, National Oceanic and Atmospheric Administration. Available: <http://www.lib.noaa.gov/retiredsites/japan/aquaculture/proceedings/report28/Ikuta.pdf>. (September 2010).
- Ikuta, K., Y. Suzuki, and S. Kitamura. 2003. Effects of low pH on the reproductive behavior of salmonid fishes. *Fish Physiology and Biochemistry* 28(1–4):407–410.
- IPCC (Intergovernmental Panel on Climate Change). 2007. *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. M. Parry, O. Canziani, J. Palutikof, P. van der Linden, J. Paul, and C. Hanson, editors. Cambridge University Press, Cambridge, UK.
- ISER (Institute of Social and Economic Research). 1989. *Rebuilding native political economies*. ISER Research summary No. 43. University of Alaska, Anchorage. Available: [http://www.iser.uaa.alaska.edu/Publications/formal/rsummary/RS\\_43\\_Rebuilding\\_Native\\_Political\\_Economies.pdf](http://www.iser.uaa.alaska.edu/Publications/formal/rsummary/RS_43_Rebuilding_Native_Political_Economies.pdf). (August 2010).
- IUCN (International Union for Conservation of Nature and Natural Resources). 2001. 2001 IUCN red list categories and criteria version 3.1. Available: <http://www.iucnredlist.org/technical-documents/categories-and-criteria/2001-categories-criteria>. (August 2010).
- Morehouse, T. 1989. *Rebuilding native political economies*. ISER (Institute of Social Economic Research), Research Summary No. 43. University of Alaska, Anchorage. Available: [http://www.iser.uaa.alaska.edu/Publications/formal/rsummary/RS\\_43\\_Rebuilding\\_Native\\_Political\\_Economies.pdf](http://www.iser.uaa.alaska.edu/Publications/formal/rsummary/RS_43_Rebuilding_Native_Political_Economies.pdf). (August 2010).
- Jak, R., J. Maas, and M. Scholten. 1996. Evaluation of laboratory derived toxic effect concentrations of a mixture of metals by testing fresh water plankton communities in enclosures. *Water Research* 30(5):1215–1227.
- Jennings, G., K. Sundet, and A. Bingham. 2007. Participation, catch, and harvest in Alaska sport fisheries during 2004. Division of Sport Fish, ADFG, Fishery Data Series No. 07-40, Anchorage, AK.
- Jennings, S., D. Neuman, and P. Blicher. 2008. *Acid mine drainage and effects on fish health and ecology: a review*. Reclamation Research Group Publication, Bozeman, MT.
- Jensen, Andrew. 2010. Pebble mine likely to begin permit process in late 2011. *Alaska Journal of Commerce*. Available: [http://www.juneauempire.com/stories/092410/sta\\_711593114.shtml](http://www.juneauempire.com/stories/092410/sta_711593114.shtml). (October 2010).
- Jobling, M. 1981. Temperature tolerance and the final preferendum: Rapid methods for the assessment of optimum growth temperatures. *Journal of Fish Biology* 19(4):439–455.
- Johnson, A., J. White, and D. Huntamer. 1997. Effects of Holden Mine on the water, sediments, and benthic invertebrates of Railroad Creek (Lake Chelan). Environmental Investigations and Laboratory Services Program, Washington State Department of Ecology, Publication No. 97-330, Water Body No. Wa-47-1020, Olympia, WA.
- Johnson, J. and E. Weiss. 2006. *Catalog of waters important for spawning, rearing, or migration of anadromous fishes—southwestern region, effective March 1, 2006*. Division of Sport Fish, ADFG, Anchorage, AK.
- Johnson, J. and E. Weiss. 2007. *Catalog of waters important for spawning, rearing, or migration for anadromous fishes—southwestern region, effective June 1 2007*. Division of Sport Fish, ADFG, Anchorage, AK.
- Johnson, L. 1980. The arctic charr, *Salvelinus alpinus*. Pages 15–98 in E.K. Balon, editor. *Charrs: Salmonid fishes of the genus Salvelinus*. Springer London, UK.
- Jones, C. 1999. Use of non-market valuation methods in the courtroom: recent affirmative precedents in natural resource damage assessments. Universities Council on Water Resources. Available: [http://www.ucowr.siu.edu/updates/pdf/V109\\_A3.pdf](http://www.ucowr.siu.edu/updates/pdf/V109_A3.pdf). (August 2010).
- Jonsson, B., and J. Ruud-Hansen. 1985. Water temperature as the primary influence on timing of seaward migrations of Atlantic salmon (*Salmo salar*) smolts. *Canadian Journal of Fisheries and Aquatic Sciences* 42(3):593–595.



- Julien, P., B. Bledsoe, and C. Watson. 2002. Fate and transport of metals and sediment in surface waters. Pages 17-20 in Balkema Publishers, editor, Proceedings of the 9th international conference on tailings and mine waste. January 27-30, 2002. Fort Collins, CO. Swets & Zeitlinger B.V., Lisse, The Netherlands.
- Kaller, M., and K. Hartman. 2004. Evidence of a threshold level of fine sediment accumulation for altering benthic macroinvertebrate communities. *Hydrobiologia* 518(1-3):95-104.
- Karl, T.L. 1997. The paradox of plenty: oil booms and petro-states. University of California Press, Berkeley, CA.
- Kaufmann, P., A. Herlihy, M. Mitch, J. Messer, and W. Overton. 1991. Stream chemistry in the eastern United States 1. Synoptic survey design, acid-base status, and regional patterns. *Water Resources Research* 27(4):611-627.
- Kazlauskienė, N. 2002. Long term effect of copper on sea trout (*Salmo trutta* L.) in early ontogenesis. *Ekologija* 2:65-68.
- Kelley, K., J. Lang, and R. Eppinger. 2010. Exploration geochemistry at the giant Pebble porphyry Cu-Au-Mo deposit, Alaska. Society of Economic Geologists Newsletter (January) (80):17-23. Available: <http://www.segweb.org/publications/featuredarticles.aspx>. (December 2011).
- Kilburn, J. 1995. Grouse Creek up and running. *The Northern Miner* February 6, 1995.
- Kimmel, W. 1983. The impact of acid mine drainage on the stream ecosystem. Pages 424-437 in S. Majumdar and E. Miller, editors. Pennsylvania coal: resources, technology, and utilization. Pennsylvania Academy of Science, Easton, PA.
- Kitamura, S., and K. Ikuta. 2000. Acidification severely suppresses spawning of hime salmon (land locked sockeye salmon, *Oncorhynchus nerka*). *Aquatic Toxicology* 51(1):107-113.
- Kleppe v. Sierra Club, 427 U.S. 390, 410 (1976).
- Kline, T., J. Goering, O. Mathisen, P. Poe, and P. Parker. 1990. Recycling of elements transported upstream by runs of Pacific salmon: I. 15 N and 13 C evidence in Sashin Creek, southeastern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 47(1):136-144.
- Kline, T., J. Goering, O. Mathisen, P. Poe, P. Parker, and R. Scalan. 1993. Recycling of elements transported upstream by runs of Pacific salmon: II. 15N and 13C evidence in the Kvichak River watershed, Bristol Bay, southwestern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 50(11):2350-2365.
- Knight Piesold Consulting, editor. 2006a. Northern Dynasty Mines Inc., pebble project: tailings impoundment A, initial application report. Ref. No. VA101-176/16-13. Knight Piesold Ltd., Vancouver, BC.
- Knight Piesold Consulting, editor. 2006b. Northern Dynasty Mines Inc., pebble project: tailings impoundment G, initial application report. Ref. No. VA101-176/16-12. Knight Piesold Ltd., Vancouver, BC.
- Knudsen, E., D. McDonald, C. Stewart, J. Williams, and D. Reiser. 1999. Sustainable fisheries management: Pacific salmon. CRC Press LLC, Boca Raton, FL.
- Koenings, J., and R. Burkett. 1987. Population characteristics of sockeye salmon (*Oncorhynchus nerka*) smolts relative to temperature regimes, euphotic volume, fry density, and forage base within Alaskan lakes. Pages 216-234 in H. Smith, L. Margolis, and C. Wood, editors. Proceedings of the international sockeye salmon symposium, November 19-22, 1985, Nanaimo, BC: sockeye salmon (*Oncorhynchus nerka*) population biology and future management. DFO, Canadian Special Publication of Fisheries and Aquatic Sciences No. 96, Ottawa, ON.
- Kondolf, G., M. Wolman, and M. Sale. 1993. Modification of fluvial gravel size by spawning salmonids. *Water Resources Research* 29(7):2275-2285.
- Kruse, G. 1998. Salmon run failures in 1997-1998: A link to anomalous ocean conditions? *Alaska Fishery Research Bulletins (ADFG)* 5(1):55-63.
- Kuipers, J. 2000. Hardrock reclamation bonding practices in the western United States. National Wildlife Federation, Boulder, CO.
- Kuipers, J., A. Maest, K. MacHardy, and G. Lawson. 2006. Comparison of predicted and actual water quality at hardrock mines: the reliability of predictions in environmental impact statements. Kuipers & Associates and Buka Environmental, Butte, MT.
- Kuwabara, J., B. Topping, G. Moon, P. Husby, A. Lincoff, J. Carter, and M. Croteau. 2005. Mercury accumulation by lower trophic-level organisms in lentic systems within the Guadalupe River watershed, California. USGS, Scientific Investigations Report 2005-5037, Washington, D.C.
- Kyle, R., and T. Brabets. 2001. Water temperature of streams in the Cook Inlet Basin, Alaska, and implications of climate change. National Water-Quality Assessment Program, U.S. Geological Survey, Water-Resources Investigations Report 01-4109, Anchorage, AK.
- Lackey, R., D. Lach, and S. Duncan, editors. 2006. Salmon 2100: the future of wild Pacific salmon. American Fisheries Society, Bethesda, MD.

- Lacroix, G., and D. Townsend. 1987. Responses of juvenile Atlantic salmon (*Salmo salar*) to episodic increases in acidity in Nova Scotia rivers. *Canadian Journal of Fisheries and Aquatic Sciences* 44(8):1475–1484.
- Lake, R., and S. Hinch. 1999. Acute effects of suspended sediment angularity on juvenile coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* 56(5):862–867.
- Landingham, J., M. Sturdevant, and R. Brodeur. 1998. Feeding habits of juvenile Pacific salmon in marine waters of southeastern Alaska and northern British Columbia. *Fishery Bulletin* 96(2):285–302.
- Lang, D., G. Reeves, J. Hall, and M. Wipfli. 2006. The influence of fall-spawning coho salmon (*Oncorhynchus kisutch*) on growth and production of juvenile coho salmon rearing in beaver ponds on the Copper River Delta, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 63(4):917–930.
- Langer, Q. 1980. Effects of sedimentation on salmonid stream life. In K. Weagle, editor. Report on the technical workshop on suspended solids and the aquatic environment. Department of Indian and Northern Development, Contract Ott-80-019, Whitehorse, Yukon Territory.
- Lapakko, K. 2003. Developments in humidity-cell tests and their application. Pages 147–164 in J. Jambor, D. Blowes, and A. Ritchie, editors. Environmental aspects of mine wastes, MAC (Mineralogical Association of Canada) short course series vol. 31. MAC, Quebec City, QC.
- Lapakko, K., and D. Antonson. 1994. Oxidation of sulfide minerals present in Duluth Complex rock: a laboratory study. Pages 593–607 in C. Alpers and D. Blowes, editors. Environmental Geochemistry of Sulfide Oxidation. American Chemical Society Symposium Series 550.
- LaRoche, G., and L. Shelton. 2011. Lake and peninsula borough coastal management program revised public hearing draft—March 2011. Alaska Coastal Management Program, Office of Project Management and Permitting, Alaska Department of Natural Resources. Available: [http://alaskacoast.state.ak.us/District/DistrictPlans\\_Final/LakeandPen/revised\\_phd/vol1\\_rphd.pdf](http://alaskacoast.state.ak.us/District/DistrictPlans_Final/LakeandPen/revised_phd/vol1_rphd.pdf). (July 2011).
- Laron, R. 2010. Fishery habitat: 3. sediment and pollutants. University of California, Davis. Available: <http://danr.ucop.edu/uccltr/h28.htm>. (August 2010).
- Lauren, D., and M. McDonald. 1985. Effects of copper on branchial ionoregulation in the rainbow trout, *Salmo gairdneri* Richardson. *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology* 155(5):635–644.
- Leask, L., M. Killorin, and S. Martin. 2001. Trends in Alaska's people and economy. Institute of Social and Economic Research, University of Alaska, Anchorage, AK. Available: [http://www.akhistorycourse.org/docs/trends\\_in\\_alaska.pdf](http://www.akhistorycourse.org/docs/trends_in_alaska.pdf). (August 2010).
- LeBlanc, R., R. Brown, and J. FitzGibbon. 2004. Modeling the effects of land use change on the water temperature in unregulated urban streams. *Journal of Environmental Management* 49(2):445–469.
- Ledin, M., and K. Pedersen. 1996. The environmental impact of mine wastes—roles of microorganisms and their significance in treatment of mine wastes. *Earth Science Reviews* 41(1–2):67–108.
- Leduc, A., J. Kelly, and G. Brown. 2004. Detection of conspecific alarm cues by juvenile salmonids under neutral and weakly acid conditions: Laboratory and field tests. *Oecologia* 139(2):318–324.
- LeDuc, G. 1978. Deleterious effects of cyanide on early life stages of Atlantic salmon (*Salmo salar*). *Journal of the Fisheries Research Board of Canada* 35:166–174.
- Leman, V. 1993. Spawning sites of chum salmon, *Oncorhynchus keta*: microhydrological regime and viability of progeny in redds (Kamchatka River Basin). *Journal of Ichthyology* 33(2):104–117.
- Lenhardt, J., and J. Lehman. 2006. Measuring total volatile suspended solids in stormwater to understand the influence of organic matter on BPM performance. Stormwater360. Available: [http://www.stormwater360.co.nz/images/tvss\\_in\\_stormwater.pdf](http://www.stormwater360.co.nz/images/tvss_in_stormwater.pdf). (August 2010).
- Lenntech B. 2011. Acids and alkalis in freshwater. Lenntech BV, The Netherlands. Available: <http://www.lenntech.com/aquatic/acids-alkalis.htm>. (December 2011).
- Leslie, D. 1989. Alaska climate summaries: A compilation of long-term means and extremes of 478 Alaska stations. Alaska Climate Center technical note No. 5. Arctic Environmental Information and Data Center, University of Alaska, Anchorage, AK.
- Levings C., K. Barry, J. Grout, G. Piercey, A. Marsden, A. Coombs, and B. Mossop. 2004. Effects of acid mine drainage on the estuarine food web, Britannia Beach, Howe Sound. *Hydrobiologia* 525(1–3):185–202.
- Levit, S., and J. Kuipers. 2000. Reclamation bonding in Montana. Report of the Center for Science in Public Participation to the Montana Environmental Information Center, Helena, MT. Available: <http://meic.org/files/mining/recbondingreport.pdf>. (September 2010).
- Lewis, M., and C. Bamforth. 2007. Essays in brewing science. Springer Science and Business Media, LLC, New York, NY.

- Li, M. 2000. Acid rock drainage prediction for low sulphide, low-neutralisation potential mine wastes. Pages 567–580 in Proceedings of the fifth international conference on acid rock drainage (ICARD 2000). Society for Mining, Metallurgy, and Exploration, Inc.
- Lichatowich, J. 2001. Salmon without rivers: A history of the Pacific salmon crisis. Island Press, Washington, D.C
- Lisac, M., and R. Nelle. 2000. Migratory behavior and seasonal distribution of Dolly Varden *Salvelinus malma* in the Togiak River watershed, Togiak National Wildlife Refuge. USFWS, Dillingham, AK.
- Limburg, K., R. Hughes, D. Jackson, and B. Czech. 2011. Population Increase, economic growth, and fish conservation: Collision course or savvy stewardship. Fisheries 36(1):27-35.
- Lister, D., and C. Walker. 1966. The effects of flow control on freshwater survival of chum, coho, and Chinook salmon in the Big Qualicum River. Canadian Fish Culturist 37:3–25.
- Lloyd, D., J. Koenings, and J. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. North American Journal of Fisheries Management 7(1):18–33.
- Loomis, J. 1999. Recreation and passive use values from removing the dams on the Lower Snake River to increase salmon. U.S. Army Corps of Engineers. Available: [http://www.nww.usace.army.mil/lsr/reports/misc\\_reports/passive.htm](http://www.nww.usace.army.mil/lsr/reports/misc_reports/passive.htm). (August 2010).
- Lorenz, J., and J. Filer. 1989. Spawning habitat and redd characteristics of sockeye salmon in the glacial Taku River, British Columbia and Alaska. Transactions of the American Fisheries Society 118(5):495–502.
- Lottermoser, B. 2007. Mine wastes: characterization, treatment, and environmental impacts, second edition. Springer, Berlin.
- Madej, M., C. Currens, V. Ozaki, J. Yee, and D. Anderson. 2006. Assessing possible thermal rearing restrictions for juvenile coho salmon (*Oncorhynchus kisutch*) through thermal infrared imaging and in-stream monitoring. Canadian Journal of Fisheries and Aquatic Sciences 63(6):1384–1396.
- Maehl, W. 2003. Zortman and Landusky with 20/20 hindsight. Utah Division of Oil, Gas, and Mining. Available: [https://fs.ogm.utah.gov/pub/mines/AMR\\_Related/NAAMLP/EnDesign/Maehl.pdf](https://fs.ogm.utah.gov/pub/mines/AMR_Related/NAAMLP/EnDesign/Maehl.pdf). (September 2010).
- Maest, A., J. Kuipers, C. Travers, and D. Atkins. 2005. Predicting water quality at hardrock mines: Methods and models, uncertainties, and state-of-the-art. Kuipers & Associates and Buka Environmental, Butte, MT.
- Magee, J., T. McMahan, and R. Thurow. 1996. Spatial variation in spawning habitat of cutthroat trout in a sediment-rich stream basin. Transactions of the American Fisheries Society 125(5):768–779.
- Magee, J., M. Obedzinski, S. McCormick, and J. Kocik. 2003. Effects of episodic acidification on Atlantic salmon (*Salmo salar*) smolts. Canadian Journal of Fishery and Aquatic Sciences 60(2):214–221.
- Magee, J., T. McMahan, and R. Thurow. 1996. Spatial variation in spawning habitat of cutthroat trout in a sediment-rich stream basin. Transactions of the American Fisheries Society 125(5):768–779.
- Magnuson, J., L. Crowder, and P. Medvik. 1979. Temperature as and ecological resource. American Zoologist 19(1):331–343.
- Major Federal Action, 40 C.F.R. § 1508.08 (1978).
- Malcolm, I., C. Soulsby, A. Youngson, and J. Petry. 2003. Heterogeneity in ground water-surface water interactions in the hyporheic zone of a salmonid spawning stream. Hydrological Processes 17(3):601–617.
- Malcolm, I., C. Soulsby, A. Youngson, D. Hannah, I. McLaren, and A. Thorne. 2004. Hydrological influences on hyporheic water quality: implications for salmon egg survival. Hydrological Processes 18(9):1543–1560.
- Manley, W., and D. Kaufman. 2002. Alaska PaleoGlacier Atlas. Institute of Arctic and Alpine Research, Boulder, CO.
- Maret, T., and D. MacCoy. 2002. Fish assemblages and environmental variables associated with hard-rock mining in the Coeur d’Alene River Basin, Idaho. Transactions of the American Fisheries Society 131(5):865–884.
- Maret, T., D. Cain, D. MacCoy, and T. Short. 2003. Response of benthic invertebrate assemblages to metal exposure and bioaccumulation associated with hard-rock mining in northwestern streams, USA. Journal of the North American Benthological Society 22(4):598–620.
- Marine, K., and J. Cech Jr. 2004. Effects of high water temperature on growth, smoltification, and predator avoidance in juvenile Sacramento River Chinook salmon. North American Journal of Fisheries Management 24(1):198–210.
- Marschall, E., and L. Crowder. 1996. Assessing population responses to multiple anthropogenic effects: A case study with brook trout. Ecological Applications 6(1):152–167.
- Martin, S. 2004. Determinants of well-being in Iñupiat and Yupit eskimos: do communities matter? Ph.D. dissertation, University of Texas, Dallas, TX. Available: [http://www.iser.uua.alaska.edu/Projects/living\\_conditions/images/smartin\\_dissertation\\_draft10\\_5.pdf](http://www.iser.uua.alaska.edu/Projects/living_conditions/images/smartin_dissertation_draft10_5.pdf). (August 2010).

- Martin, S., and A. Hill. 2009. The changing economic status of Alaska natives, 1970-2007. ISER, University of Alaska, Anchorage. Available: <http://www.iser.uaa.alaska.edu/Publications/webnote/WebNote5.pdf>. (August 2010).
- Martin, S., and W. Platts. 1981. Influence of forest and rangeland management on anadromous fish habitat in western North America: effects of mining. Pacific Northwest Forest and Range Experiment Station, U. S. Department of Agriculture Forest Service, General Technical Report PNW-119, Portland, OR.
- Mazor, E. 1991. Applied chemical and isotopic groundwater hydrology. Halsted Press, New York, NY.
- McCullum, D., and S. Miller. 1994. Alaska hunters: their hunting trip characteristics and economics. Information Management Program, Division of Wildlife Conservation, Alaska Department of Fish and Game, Anchorage, AK.
- McCullough, D. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life states of salmonids, with special reference to Chinook salmon. USEPA, EPA 910-00-010, and the Columbia River Inter-Tribal Fish Commission, Seattle, WA.
- McCullough, D., S. Spalding, D. Sturdevant, and M. Hicks. 2001. Issue paper 5: summary of technical literature examining the effects of temperature on salmonids. Temperature Water Quality Criteria Guidance Development Project, Region 10, U.S. Environmental Protection Agency, EPA-910-D-01-005, Seattle, WA.
- McDiarmid, G. Williamson, S. Goldsmith, M. Killorin, S. Sharp, and C. Hild. 1998. Expanding job opportunities for Alaska natives. Institute of Social and Economic Research, University of Alaska Anchorage, AK. Available: <http://www.iser.uaa.alaska.edu/publications/client/afnjobs/afnjobs.htm>. (August 2010).
- McIntosh, B., J. Sedell, R. Thurow, S. Clark, and G. Chandler. 2000. Historical changes in pool habitats in the Columbia River basin. Ecological Applications 10(5):1478–1496.
- McIntyre, J.K., D.H. Baldwin, J.P. Meador, and N.L. Scholz. 2008. Chemosensory deprivation in juvenile coho salmon exposed to dissolved copper under varying water chemistry conditions. Environmental Science and Technology 42:1352-1358.
- McKetta, J. 1992. Petroleum processing handbook. Marcel Dekker, Inc., New York, NY.
- McKim, J., J. Eaton, and G. Holcombe. 1978. Metal toxicity to embryos and larvae of eight species of freshwater fish—II: Copper. Bulletin of Environmental Contamination and Toxicology 19(1):608–616.
- McLeay, D., I. Birtwell, G. Hartman, and G. Ennis. 1984. Effects on arctic grayling (*Thymallus arcticus*) of prolonged exposure to Yukon placer mining sediment: A laboratory study. Habitat Management Division, DFO, Canadian Technical Report of Fisheries and Aquatic Sciences 1241, Vancouver, B. C.
- McLeay, D., I. Birtwell, G. Hartman, and G. Ennis. 1987. Responses of arctic grayling (*Thymallus arcticus*) to acute and prolonged exposure to Yukon placer mining sediment. Canadian Journal of Fisheries and Aquatic Sciences 44(3):658–673.
- McNeil, W., and W. Ahnell. 1964. Success of pink spawning relative to size of spawning bed material. USWFS, Special Scientific Report--Fisheries No. 469, Washington, D.C.
- Mecklenburg, C., T. Mecklenburg, and L. Thorsteinson. 2002. Fishes of Alaska. The American Fisheries Society. Bethesda, MD.
- Meehan, W. 1979. Some effects of shade cover on stream temperatures in southeast Alaska. Pacific Northwest Range and Experimental Station, USFS, Research Note PNW 113, Portland, OR.
- Meehan, W., editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication No. 19. American Fisheries Society Publications, Evans City, PA.
- Meka, J., E. Knudsen, D. Douglas, and R. Benter. 2003. Variable migratory patterns of different adult rainbow trout life history types in a southwest Alaska watershed. Transactions of the American Fisheries Society 132(4):711–732.
- Metsker, H. 1967. Iliamna Lake watershed freshwater commercial fisheries investigation of 1964, informational leaflet 95. Division of Commercial Fisheries, ADFG, Dillingham, AK.
- Meyers, T., R. Thrower, S. Short, K. Lipson, J. Joyce, C. Farrington, and S. Doherty. 1999. Different prevalences of *Renibacterium salmoninarum* by ELISA in Alaskan Chinook salmon *Oncorhynchus tshawytscha* spawned from freshwater and seawater. Diseases of Aquatic Organisms 35(2):101–105.
- MEIC (Montana Environmental Information Center). 2008. I-137: Ban on cyanide mining. MEIC. Available: [http://meic.org/mining/cyanide\\_mining/ban-on-cyanide-mining/i-137](http://meic.org/mining/cyanide_mining/ban-on-cyanide-mining/i-137). (September 2010).
- MDEQ (Michigan Department of Environmental Quality). 2004. Mercury permitting strategy. MDEQ, Lansing, MI.
- Mihursky, J., McErlean, and V. Kennedy. 1970. Thermal pollution, aquaculture, and pathobiology in aquatic systems. Journal of Wildlife Diseases 6(4):347–355.
- Mills, A. 1985. Acid mine drainage: microbial impact on the recovery of soil and water ecosystems. Pages 41–43 in R. Tate and D. Klein, editors. Soil reclamation processes: microbial analysis and applications. Marcel Dekker, Inc., New York, NY.

- Minard, E. 1987. Effort and catch statistics for the Chinook salmon (*Oncorhynchus tshawytscha*) sport fishery in the lower Nushagak River, 1986. Division of Sport Fish, ADFG, Fishery Data Series No. 15. Juneau, AK.
- Minard, J. 2009. Creating partnerships to save the Tsolum River from copper leachate. *The Watershed Sentinel* 19(4):6-7.
- Minard, R., and D. Dunaway. 1991. Compilation of age, weight, and length statistics of rainbow trout samples collected in Southwest Alaska, 1954 through 1989. Division of Sport Fish, ADFG, Fishery Data Report Series No. 91-62, Anchorage, AK.
- Minard, R., M. Alexandersdottir, and S. Sonnichsen. 1992. Estimation of abundance, seasonal distribution, and size and age composition of rainbow trout in Kvichak River, Alaska, 1986 to 1991. Division of Sport Fish, ADFG, Fishery Data Series No. 92-51, Anchorage, AK.
- Mining Watch. 2005. Wheaton River profits from destruction at Bajo La Alumbrera, Argentina. Mining Watch Canada. Available: <http://www.miningwatch.ca/en/wheaton-river-profits-destruction-bajo-la-alumbrera-argentina>. (June 2011)
- Mitchell, L.D. 2004. Zortman and Landusky mines Montana House joint resolution 43 report: water quality impacts. MEQC (Montana Environmental Quality Council), Helena, MT. Available: [http://leg.mt.gov/content/publications/environmental/2004\\_zortman.pdf](http://leg.mt.gov/content/publications/environmental/2004_zortman.pdf). (September 2010).
- MMPA (Marine Mammal Protection Act of 1972) §§ 2-207, 16 U.S.C. §§ 1361-1407 (2007).
- Molony, B. 2001. Environmental requirements and tolerances of rainbow trout (*Oncorhynchus mykiss*) and brown trout (*Salmo trutta*) with special reference to Western Australia: a review. Fisheries Research Division, Western Australia Marine Research Laboratories, Department of Fisheries, Government of Western Australia, Report No. 130, South Beach, Western Australia.
- Montgomery, D., J. Buffington, N. Peterson, D. Schuett-Hames, and T. Quinn. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53(5):1061-1070.
- Moon, A., and C. Lucostic. 1979. Effects of acid mine drainage on a southwestern Pennsylvania stream. *Water, Air, and Soil Pollution* 11(3):377-390.
- Moore, A. 1994. An electrophysiological study on the effects of pH on olfaction in mature male Atlantic salmon (*Salmo Salar*) parr. *Journal of Fish Biology* 45(3):493-502.
- Moran, R., and D. Galloway. 2007. Ground water in the Anchorage area, Alaska: meeting the challenges of ground-water sustainability. U.S. Geological Survey, Fact Sheet 2006-3148, Anchorage, AK.
- Moran, R. 1974. Trace element content of a stream affected by metal-mine drainage, Bonanza, Colorado. Ph.D. dissertation, University of Texas, Austin.
- Moran, R., and D. Wentz. 1974. Effects of metal-mine drainage on water quality in selected areas of Colorado, 1972-1973. Colorado Water Conservation Board. Water Resources Circular No. 25. Available: <http://co.water.usgs.gov/publications/pubsnonusgs.html>. (December 2011).
- Moran, R. 2001. Mining environmental impacts: integrating an economic perspective. Pages 67-77 in N. Borregaard and C. Gana, editors. *Towards the integration of environmental, economic, and trade aspects in the mining sector*. Centro de Investigacion y Planificacion del Medio Ambiente, Santiago, Chile.
- Moran, R. 2005. CAO Marlin Mine assessment: Technical response. Mining Watch Canada. Available: <http://www.miningwatch.ca/en/cao-marlin-mine-assessment-technical-responses>. (August 2010).
- Moran, R. 2007. Pebble hydrogeology and geochemistry issues. Submitted to Renewable Resource Coalition, Anchorage, Alaska. Available at: <http://www.renewableresourcescoalition.org/MoranSep07.pdf>. (December 2011).
- Morel, F., A. Kraepiel, and M. Amyot. 1998. The chemical cycle and bioaccumulation of mercury. *Annual Review of Ecology and Systematics* 29:543-566.
- Morin, K., and N. Hutt. 1994. Observed preferential depletion of neutralization potential over sulfide minerals in kinetic tests: Site specific criteria for safe NP/AP ratios. Pages 148-156 in *Proceedings of the international land reclamation and mine drainage conference and of the third international conference on the abatement of acidic drainage, vol. 1: Mine drainage*. U.S. Bureau of Mines, Special Publication SP 06A-94, Pittsburgh, PA.
- Morin, K., and N. Hutt. 1997. *Environmental geochemistry of mine site drainage: practical theory and case studies*. Minesite Drainage Assessment Group Publishing, Vancouver, B. C.
- Morris, R., E. Taylor, D. Brown, and J. Brown. 1989. Acid toxicity and aquatic animals. *Society of experimental biology seminar series*, no. 34. Cambridge University Press, New York, NY.
- Morrow, J. 1980. *The freshwater fishes of Alaska*. Alaska Northwest Publishing, Anchorage, AK.

Morstad, S., M. Jones, T. Sands, P. Salomone, T. Baker, G. Buck, and F. West. 2010. 2009 annual Bristol Bay management report. Divisions of Sport Fish and Commercial Fisheries, Alaska Department of Fish and Game, Fisheries Management Report No. 10-25, Anchorage, AK. Available: <http://www.sf.adfg.state.ak.us/FedAidpdfs/FMR10-25.pdf>. (August 2010).

MPRSA (Marine Protection, Research, and Sanctuaries Act of 1972) § 2, 33 U.S.C. § 1401 (2000).

MPRSA § 103, 33 U.S.C. § 1413 (2000).

Munn, M., and T. Short. 1997. Spatial heterogeneity of mercury bioaccumulation by Walleye in Franklin D. Roosevelt Lake and the upper Columbia River, Washington. *Transactions of the American Fisheries Society* 126(3):477–487.

Murkowski, F. 2005. Executive Order 107. Alaska Outdoor Council. Available: <http://www.alaskaoutdoorcouncil.org/pdfs/EO107-Habitat.pdf>. (August 2010).

Murphy, B., A. Poetter, P. Tschersich, J. Jackson, and E. Russ. 2007. Alaska Peninsula, Aleutian Islands, and Atka-Amila Islands management areas salmon season summary. Division of Commercial Fisheries, ADFG, Kodiak, AK.

Murphy, K. 2010. Battle over Pebble Mine shifts to EPA. *Los Angeles Times*. Available: <http://latimesblogs.latimes.com/greenspace/2010/08/battle-over-pebble-mine-shifts-to-epa.html>. (December 2010).

Murray, C., and J. McPhail. 1988. Effect of incubation temperature on the development of five species of Pacific salmon (*Oncorhynchus*) embryos and alevins. *Canadian Journal of Zoology* 66(1):266–273.

Myrick, C., and J. Cech. 2004. Temperature effects on juvenile anadromous salmonids in California's central valley: what don't we know? *Reviews in Fish Biology and Fisheries* 14(1):113–123.

Naiman, R., R. Bilby, D. Schindler, and J. Helfield. 2002. Pacific salmon, nutrients, and the dynamics of freshwater and riparian ecosystems. *Ecosystems* 5(4):399–417.

National Science Foundation. 2002. Global climate change research explorer. The Exploratorium. Available: <http://www.exploratorium.edu/climate/index.html>. (July 2007).

Nayar, S., B. Goh, and L. Chou. 2004. Environmental impact of heavy metals from dredged and resuspended sediments on phytoplankton and bacteria assessed in situ mesocosms. *Ecotoxicology and Environmental Safety* 59(3):349–369.

NDM (Northern Dynasty Mines) Inc. 2005. Draft environmental baseline studies: 2004 progress reports. Chapter 8: Geochemical characterization and ML/ARD. ADNR. Available: [http://dnr.alaska.gov/mlw/mining/largemine/pebble/2004\\_reports/pr\\_ch08.pdf](http://dnr.alaska.gov/mlw/mining/largemine/pebble/2004_reports/pr_ch08.pdf). (July 2010).

NDM Inc. 2006a. Pebble project: application for water right, unnamed tributary (NK1.190) North Fork Kaktuli River. NDM Inc., Anchorage, AK.

NDM Inc. 2006b. Pebble project: application for water right, Upper Talarik Creek. NDM Inc., Anchorage, AK.

NDM Inc. 2006c. Pebble project: application for water right, South Fork Kaktuli River. NDM Inc., Anchorage, AK.

NDM Inc. 2006d. Pebble project: application for groundwater right, unnamed tributary (NK1.190) North Fork Kaktuli River. NDM Inc., Anchorage, AK.

NDM Inc. 2006e. Pebble project: application for groundwater right, Upper Talarik Creek. NDM Inc., Anchorage, AK.

NDM Inc. 2006f. Pebble project: application for groundwater right, South Fork Kaktuli River. NDM Inc., Anchorage, AK.

NDM (Northern Dynasty Minerals) Ltd. 2007. Program and update on metallurgy and resources on the Pebble copper-gold-molybdenum project, Iliamna Lake area, southwestern Alaska, U.S.A., NDM Ltd. Technical Report NI 43-101. Vancouver, BC.

NDM Ltd. 2007b. New resource estimate confirms Pebble East as one of the world's most important copper-gold-molybdenum deposits. NDM, Ltd. Available: [http://www.northerndynastyminerals.com/ndm/NewsReleases.asp?ReportID=336838&\\_Type=News-Releases&\\_Title=New-Resource-Estimate-Confirms-Pebble-East-As-One-Of-The-WorldS-Most-Import](http://www.northerndynastyminerals.com/ndm/NewsReleases.asp?ReportID=336838&_Type=News-Releases&_Title=New-Resource-Estimate-Confirms-Pebble-East-As-One-Of-The-WorldS-Most-Import). (May 2010).

NDM Ltd. 2008. Pebble project backgrounder: assessing and managing seismic risk. PebbleScience.org. Available: [http://www.pebblescience.org/pdfs/Backgrounder\\_Assessing\\_Managing\\_Seismic\\_Risk.pdf](http://www.pebblescience.org/pdfs/Backgrounder_Assessing_Managing_Seismic_Risk.pdf). (May 2010).

NDM Ltd. 2010a. Northern Dynasty partners and investors. NDM Ltd. Available: <http://www.northerndynastyminerals.com/ndm/NDP.asp>. (August 2010).

NDM Ltd. 2010b. Measured and indicated mineral resources. Inferred mineral resources. NDM Ltd. Available: [http://www.northerndynastyminerals.com/i/pdf/ndm/NDM\\_MRES.pdf](http://www.northerndynastyminerals.com/i/pdf/ndm/NDM_MRES.pdf). (August 2010).

NDM Ltd. 2010c. The pebble deposit. NDM, Ltd. Available: <http://www.northerndynastyminerals.com/ndm/Pebble.asp>. (May 2010).

NDM Ltd. 2010d. The Pebble Project: the future of U.S. Mining and Metals. NDM Ltd. Available: <http://www.northerndynastyminerals.com/i/pdf/ndm/NDM-Facts.pdf>. (January 2011).

Bristol Bay's Wild Salmon Ecosystems and the Pebble Mine: Key Considerations for a Large-Scale Mine Proposal: Bibliography | 22

- Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific Salmon at the Crossroads: stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries*. 16(2): 4-21.
- Nelle, R. 2002. Species occurrence and length frequency distribution of fish in six lakes and five streams of the waters of the Togiak National Wildlife Refuge, Alaska, 2000–2002. Togiak National Wildlife Refuge, U.S. Fish and Wildlife Service, Dillingham, AK.
- Nelson, J. 1982. Physiological observations on developing rainbow trout, *Salmo gairdneri* (Richardson), exposed to low pH and varied calcium ion concentrations. *Journal of Fish Biology* 20(3):359–372.
- Nelson, K. 2003. Murkowski gives lead in permitting to DNR, eliminates DGC. *Petroleum News* 8.5.
- Nelson, M. 1965. A compilation of notes and biological data from the Nushagak and Togiak Districts, Bristol Bay 1956–64. Division of Commercial Fisheries, Alaska Department of Fish and Game, Bristol Bay Data Report Series No. 1, Dillingham, AK.
- Nelson, R., M. McHenry, and W. Platts. 1991. Mining. Pages 425–458 in W. Meehan. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society special publication no. 19. American Fisheries Society, Bethesda, MD.
- Nelson, S. 2006. Fraser River sockeye salmon benchmark study. Agriculture and Agri-Food Canada, Canadian Agriculture and Food International Program: Seafood value chain roundtable. March 2006.
- NEPA (National Environmental Policy Act of 1969) § 102, 42 U.S.C. § 4332 (C) (1982).
- NEPA: *Hearings on S. 1075, S. 237, and S. 1752 Before Sen. Comm. on Interior and Insular Affairs*, 91<sup>st</sup> Cong., 1st sess., 116 (April 16, 1969) (statement of Lynton Caldwell).
- NEPA. Other Requirements of. 40 C.F.R. § 1506 (2007).
- Neville, C., and P. Campbell. 1988. Possible mechanisms of aluminum toxicity in a dilute, acidic environment to fingerlings and older life stages of salmonids. *Water, Air, & Soil Pollution* 42(3–4):311–327.
- Newcomb, T., and T. Flagg. 1983. Some effects of Mt. St. Helens volcanic ash on juvenile salmon smolts. *U. S. National Marine Fisheries Service Review* 45(2):8–12.
- Newcombe, C., and D. MacDonald. 1991. Effects of suspended sediments on aquatic ecosystems. *North American Journal of Fisheries Management* 11(1):72–82.
- Nichols, J., G. Wedemeyer, F. Mayer, W. Dickhoff, S. Gregory, W. Yasutake, and S. Smith. 1984. Effects of freshwater exposure to arsenic trioxide on the parr-smolt transformation of coho salmon (*Oncorhynchus kisutch*). *Environmental Toxicology and Chemistry* 3(1):143–149.
- Nielsen, E., and S. Wium-Andersen. 1970. Copper ions as poison in the sea and in freshwater. *Marine Biology* 6(2):93–97.
- Nielsen, J. 2004. Investigations of the linkages between climate, growth, and production of sockeye salmon populations in Bristol Bay, Alaska. Final technical report to USGS global challenges initiative. Alaska Science Center, USGS, Anchorage, AK.
- NMWC (Nushagak-Mulchatna Watershed Council). 2007. *Nushagak River Watershed Traditional Use Area Conservation Plan*. Dillingham, AK: Nushagak-Mulchatna Watershed Council, 2007.
- NOAA (National Oceanic and Atmospheric Administration). 2009. 2009 report to Congress, Pacific coastal salmon recovery fund. National Marine Fisheries Service, NOAA. Available: <http://www.nmfs.noaa.gov/pr/pdfs/pcsr2009.pdf>. (December 2010).
- NOAA. 2010. ESA consultations. Northwest Regional Office, NOAA. Available: <http://www.nwr.noaa.gov/Salmon-Habitat/ESA-Consultations>. (December 2010).
- NOAA Fisheries. 2009. Candidate, proposed, and delisted species under the Endangered Species Act. Office of Protected Resources, NOAA Fisheries. Available: <http://www.nmfs.noaa.gov/pr/species/esa/other.htm>. (August 2010).
- Nobmann, E. 1997. Nutritional benefits of native foods. Institute of Social and Economic Research (ISER), University of Alaska Anchorage, AK. Available: [www.nativeknowledge.org/db/files/ntrindex.htm](http://www.nativeknowledge.org/db/files/ntrindex.htm). (August 2010).
- Noggle, C. 1978. Behavioral, physiological, and lethal effects of suspended sediments on juvenile salmonids. M. S. Thesis diss., School of Aquatic and Fishery Sciences, University of Washington, Seattle, WA.
- Nondalton Tribal Council et al. v. State of Alaska et al. No. 3DI-09-46 CI, Amended Complaint for Declaratory Judgment (Alaska Super. Ct. 3rd Jud. Dist. at Dillingham June 9, 2009).
- Notice of Lodging of Consent Decree Under the Clean Water Act. FR Doc. 01-12854 (21 June 2001).
- Nowacki, G., P. Spencer, M. Fleming, T. Brock, and T. Jorgenson. 2001. Ecoregions of Alaska and neighboring territory. U.S. Geological Survey, Survey Open-File Report 02-297, Reston, VA.

- NRC (National Research Council). 1996. Upstream: salmon and society in the Pacific Northwest. Committee on Protection and Management of Pacific Northwest Anadromous Salmonids, Board on Environmental Studies and Toxicology, Commission on Life Sciences, editors. National Academy Press, Washington, D.C.
- NRC. 2005. Superfund and mining megasites—lessons from the Coeur d’Alene River Basin. National Academies Press, Washington, D.C.
- Nunamta Aulukestai and TU (Trout Unlimited) Alaska. 2009. Biological, technical questions and answers about Pebble Mine. Alaska Legislature. Available: [www.legis.state.ak.us/basis/get\\_documents.asp?session=26&docid=1400](http://www.legis.state.ak.us/basis/get_documents.asp?session=26&docid=1400). (August 2010).
- ODEQ (Oregon Department of Environmental Quality). 2005. Turbidity criteria for other western states and British Columbia. Environmental Quality Commission, ODEQ. Available: <http://www.deq.state.or.us/about/eqc/agendas/attachments/aug2005/G-AttB.WQTurbidityStateCompare.pdf>. (September 2010).
- ODHS (Oregon Department of Human Services). 2010. Public health assessment, Formosa Mine, Riddle, Oregon. ODHS, Salem, OR.
- OEC (Ohio Environmental Council). 2011. Will there soon be an end to massive coal slurry ponds in Ohio? Available: <http://www.theoec.org/PDFs/FactSheets/CaptinaCreekFactSheet.pdf>. (November 2011).
- OEPA (Ohio Environmental Protection Agency). 2010. Biological and Water Quality Study of the Captina Creek Watershed 2009. State of Ohio Environmental Protection Agency, Division of Surface Water. Available: <http://www.epa.ohio.gov/portals/35/documents/CaptinaCreekTSD2009.pdf>. (November 2011).
- Office of the Auditor General of Canada. 2002. Report of the Commissioner of the Environment and Sustainable Development to the House of Commons—2002. Minister of Public Works and Government Services Canada, Ottawa, ON.
- Ordal, E., and R. Pacha. 1963. The effects of temperature on disease in fish. Pages 39–56 in Proceedings of the twelfth Pacific Northwest symposium on water pollution research. Federal Water Pollution Control Administration, USDO (U.S. Department of the Interior) Corvallis, OR.
- Orth, D. 1971. Dictionary of Alaska place names: geological survey professional paper 567. U.S. Geological Survey, Washington, D.C.
- Ott, A. 2004. Aquatic biomonitoring at Red Dog Mine, 2003. Office of Habitat Management and Permitting, Alaska Department of Natural Resources, Resources Technical Report 04-02, Juneau, AK.
- Ott, A., and W. Morris. 2005. Aquatic biomonitoring at Red Dog Mine, 2004. Office of Habitat Management and Permitting, ADNR, National Pollution Discharge System Permit No. AK-003865-2, Technical Report No. 05-03, Anchorage, AK.
- Ott, A., and P. Scannell. 1993. Fish monitoring study, Red Dog Mine in the Wulik River drainage, emphasis on Dolly Varden (*Salvelinus malma*), summary report 1990-1993. Habitat and Restoration Division, Alaska Department of Fish and Game, Technical Report No. 94-1, Fairbanks, AK.
- OVEC (Ohio Valley Environmental Coalition), Coal River Mountain Watch, and Concerned W.VA. Communities. 2005. Spill of coal byproduct kills stream wildlife. Sludge Safety Project. Available: [http://www.sludgesafety.org/news/2005/08\\_26d.html](http://www.sludgesafety.org/news/2005/08_26d.html). (March 2011).
- Ozaki, V., and D. Anderson. 2005. Evaluation of stream temperature regimes for juvenile coho salmon in Redwood Creek using thermal infrared. Water Resources Division, USNPS, Technical Report NPS/NRWRD/NRTR-2005/331, Fort Collins, CO.
- Pak, K., and R. Bartha. 1988. Mercury methylation and demethylation in anoxic lake sediments and by strictly anaerobic bacteria. Applied and Environmental Microbiology 64(3):1013–1017.
- Paladino, F., J. Spotila, J. Schubauer, and K. Kowalski. 1980. The critical thermal maximum: a technique to elucidate physiological stress and adaptation in fishes. Revue Canadienne de Biologie 39(2):115–122.
- Parker, D., and B. McKeown. 1987. The effects of low pH on egg and alevin survival of kokanee and sockeye salmon, *Oncorhynchus nerka*. Comparative Biochemistry and Physiology--Part C: Toxicology and Pharmacology 87(2):259–268.
- Parker, G., R. Raskin, C. Woody, and L. Trasky. 2008. Pebble Mine: fish, minerals, and testing the limits of Alaska’s “large mine permitting process.” Alaska Law Review 25(1):1–50.
- Parmesan, C., and G. Yohe. 2003. A globally coherent fingerprint of climate change impacts across natural systems. Nature 421(6918):37–42.
- Parsons, J. 1977. Effects of acid mine wastes on aquatic ecosystems. Water, Air, & Soil Pollution 7(3):333–354.
- Paulsen, S., A. Mayo, D. Peck, J. Stoddard, E. Tarquinio, S. Holdsworth, J. Van Sickle, L. Yuan, C. Hawkins, A. Herlihy, P. Kaufmann, M. Barbour, D. Larsen, and A. Olsen. 2008. Condition of stream ecosystems in the US: an overview of the first national assessment. Journal of the North American Benthological Society 27(4):812–821.



- Peck, J. 1999. Measuring justice for nature: issues in evaluating and litigating natural resource damages. *Journal of Land Use & Environmental Law* 14(2):275–306. Available: <http://www.law.fsu.edu/journals/landuse/Vol142/peck1.htm>. (August 2010).
- Pedder, S., and E. Maly. 1985. The effect of lethal copper solutions on the behavior of rainbow trout (*Salmo gairdneri*). *Environmental Contamination and Toxicology* 14(4):501–507.
- Pepin, D., and F. Hauer. 2002. Benthic responses to groundwater-surface water exchange in two alluvial rivers in northwestern Montana. *Journal of North American Benthological Society* 21(3):370–383.
- Perkins J. 2004. *Confessions of an economic hit man*. Penguin Books, New York, NY.
- Perry, C. 1990. Chronic effects of low pH on length and weight of Atlantic salmon, *Salmo salar*. *Environmental Biology of Fishes* 27(2):153–155.
- Perry, M., O. Canziani, J. Palutikof, P. van der Linden, and C. Hanson, editors. 2007. Contribution of working group II to the fourth assessment report of the intergovernmental panel on climate change, 2007. Cambridge University Press, New York, NY.
- PLP (The Pebble Limited Partnership). 2007. What is the Pebble Project? The Pebble Limited Partnership. Available: <http://www.ndmpebblemine.com/pages/Publications.php>. (June 2007).
- PLP. 2009a. NEPA. PLP. Available: <http://www.pebblepartnership.com/environment/nepa>. (October 2010).
- PLP. 2009b. Pebble Partnership required permits. PLP. Available: <http://www.pebblepartnership.com/content/federal-state-and-local-permits>. (September 2010).
- PLP. 2009c. Project FAQs. PLP. Available: <http://www.pebblepartnership.com/project/faqs>. (August 2010).
- PLP. 2009d. Prospecting the future. PLP. Available: <http://www.pebblepartnership.com/project>. (May 2010).
- PLP. 2009e. Road, port, and power. The Pebble Limited Partnership. Available: <http://www.pebblepartnership.com/pages/project-information/road-port-power.php>. (May 2009).
- PLP. 2011a. Homepage. PLP. Available: <http://www.pebblepartnership.com>. (November 2011).
- PLP. 2011b. Facts. PLP. Available: <http://www.pebblepartnership.com/news/facts>. (November 2011).
- Poff, L., J. Allan, M. Bain, J. Karr, K. Prestegard, B. Richter, R. Sparks, and J. Stromberg. 1997. The natural flow regime: a paradigm for river conservation and restoration. *Bioscience* 47(1):769–784.
- Poff, N., B. Richter, A. Arthington, S. Bunn, R. Naiman, E. Kendy, M. Acreman, C. Apse, B. Bledsoe, M. Freeman, J. Henriksen, R. Jacobson, J. Kennen, D. Merritt, J. O’Keeffe, J. Olden, K. Rogers, R. Tharme, and A. Warner. 2010. The ecological limits of hydrologic alteration (ELOHA): a new framework for developing regional environmental flow standards. *Freshwater Biology* 55(1):147–170.
- Poole, G., and C. Berman. 2001. An ecological perspective on in-stream temperature: natural heat dynamics and mechanisms of human-caused thermal degradation. *Environmental Management* 27(6):787–802.
- Poole, G., J. Stanford, S. Running, C. Frissell, W. Woessner, and B. Ellis. 2004. A patch hierarchy approach to modeling surface and subsurface hydrology in complex flood-plain environments. *Earth Surface Processes and Landforms* 29(10):1259–1284.
- Poole, G., J. Risley, and M. Hicks. 2001. Issue paper 3: spatial and temporal patterns of stream temperatures. Region 10, USEPA, EPA-910-D-01-003, Seattle, WA.
- Potts, W., and P. McWilliams. 1989. The effects of hydrogen and aluminum ions on fish gills. Pages 201–220 *in* R. Morris, E. Taylor, D. Brown, and J. Brown, editors. *Acid toxicity and aquatic animals*. Society for experimental biology seminar series 34. Cambridge University Press, New York, NY.
- Power, G., R. Brown, and J. Imhof. 1999. Groundwater and fish—insights from Northern America. *Hydrological Processes* 13(3):401–422.
- Price, W. 1997. Guidelines and recommended methods for the prediction of metal leaching and acid rock drainage at minesites in British Columbia. Energy and Minerals Division, Ministry of Employment and Investment, Government of British Columbia, Smithers, B. C.
- Protection of the Environment, Major Federal Action. 40 C.F.R. § 1508.18 (1978).
- PSF (Pacific Salmon Foundation). 2008. Mount Washington: acid rock drainage remediation. PSF. Available: [http://www.psf.ca/index.php?option=com\\_content&view=article&id=16&Itemid=44](http://www.psf.ca/index.php?option=com_content&view=article&id=16&Itemid=44). (December 2010).
- Quandt, D., E. Ekstrom, and K. Triebel. 2008. Technical report for the Fort Knox Mine. Kinross Gold Corporation, Fairbanks, AK.
- Quinn, J., R. Davies-Colley, C. Hickey, M. Vickers, and P. Ryan. 1992. Effects of clay discharges on streams. *Hydrobiologia* 248(3):235–247.

- Quinn, T. 2004. The behavior and ecology of Pacific salmon and trout. University of Washington Press, Seattle, WA.
- Quinn, T., C. Wood, L. Margolis, B. Riddell, and K. Hyatt. 1987. Homing in wild sockeye salmon (*Oncorhynchus nerka*) populations as inferred from differences in parasite prevalence and allozyme allele frequencies. *Canadian Journal of Fisheries and Aquatic Sciences* 44(11):1963–1971.
- Raleigh, R., and P. Nelson. 1985. Habitat suitability index models and instream flow suitability curves: pink salmon. USFWS, Biological Report 82(10.109), Fort Collins, CO.
- Ramsey, J., R. Blaine, J. Garner, J. Helton, J. Johnson, L. Smith, and M. Wallace. 2000. Radionuclide and colloid transport in the culebra dolomite and associated complementary cumulative distribution functions in the 1996 performance assessment for the waste isolation pilot plant. *Reliability Engineering and System Safety* 69(1–3):397–420.
- Ramstad, K., C. Woody, G. Sage, and F. Allendorf. 2004. Founding events influence genetic population structure of sockeye salmon (*Oncorhynchus Nerka*) in Lake Clark, Alaska. *Molecular Ecology* 13(2):277–290.
- Ramstad, K. M., C. A. Woody, and F. W. Allendorf. 2009. Recent local adaptation of sockeye salmon to glacial spawning habitats. *Evolutionary Ecology* 24(2):391–411.
- Rapanos v. United States, 126 S. Ct. 2208, 2248 (2006).
- Reader, J., N. Everall, M. Sayer, R. Morris. 1989. The effects of eight trace metals in acid soft water on survival, mineral uptake and skeletal calcium deposition in yolk-sac fry of brown trout, *Salmo trutta L.* *Journal of Fish Biology* 35(2):187–198.
- Rebagliati, C., and R. Haslinger. 2003. Summary report on the Pebble porphyry gold-copper project, Iliamna Lake area, southwestern Alaska, U. S. A. Northern Dynasty Minerals Ltd., SEDAR report, Vancouver, B.C.
- Rebagliati, C., and J. Payne. 2005. 2004 summary report on the Pebble porphyry gold-copper project, Iliamna Lake area, southwestern Alaska, U. S. A. Northern Dynasty Minerals Ltd., SEDAR Report, Vancouver, B.C.
- Rebagliati, C., and J. Payne. 2006. 2005 summary report on the Pebble porphyry gold-copper project, Iliamna Lake area, southwestern Alaska, U. S. A. Northern Dynasty Minerals Ltd., SEDAR Report, Vancouver, B.C.
- Rebagliati, C., and J. Payne. 2007. 2006 summary report on the Pebble porphyry gold-copper project, Iliamna Lake area, southwestern Alaska, U. S. A. Northern Dynasty Minerals Ltd., SEDAR Report, Vancouver, B.C.
- Reed, K., and B. Czech. 2005. Causes of fish endangerment in the U.S., or the structure of the American economy. *Fisheries* 30(7):36–38.
- Reeves, G., F. Everest, and J. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. *Transactions of the American Fisheries Society* 122(3):309–317.
- Reimchen, T. 1994. Further studies of predator and scavenger use of chum salmon in stream and estuarine habitats at Bag Harbour, Gwaii Haanas. Report of Islands Ecological Research to Canadian Parks Service, Queen Charlotte City, B.C.
- Reisenbichler, R., and S. Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. *ICES Journal of Marine Science* 56(4):459–466.
- Reiser, D., and R. White. 1998. Effects of two sediment size-classes on survival of steelhead and Chinook salmon eggs. *North American Journal of Fisheries Management* 8(4):432–437.
- Renewable Resources Coalition. 2010. Bristol Bay Pebble Mine: The Alaska Mine Permitting Process. Renewable Resources Coalition. Available: <http://www.renewableresourcescoalition.org/project-outline/2010-05-13/the-alaska-large-mine-permitting-process>. (August 2010).
- Rennie, C., and R. Millar. 2000. Spatial variability of stream bed scour and fill: a comparison of scour depth in chum salmon (*Oncorhynchus keta*) redds and adjacent bed. *Canadian Journal of Fisheries and Aquatic Sciences* 57(5):928–938.
- Rennie, D., and R. Srivastava. 2005. Technical report on the Pebble deposit. Report of Roscoe Postle Associates Inc. to Northern Dynasty Minerals Ltd., Vancouver, B. C.
- Reynolds, J. 2000. Life history analysis of Togiak River char through otolith microchemistry. Alaska Cooperative Fish and Wildlife Research Unit, University of Alaska, Fairbanks, AK.
- Reynolds, J., R. Simmons, and A. Burkholder. 1989. Effects of placer mining discharge on health and food habits of arctic grayling. *Water Resources Bulletin* 25(3):625–635.
- Rhea, S. 2010. Seismicity of the United States. USGS. Available: <http://earthquake.usgs.gov/earthquakes/states/seismicity/>. (September 2010).
- Rich, W. 1939. Local populations and migration in relation to the conservation of Pacific salmon in the western states and Alaska. Department of Research, Oregon Fish Commission. State Printing Office, Salem, OR.

- Richards, M. 2007. Thanks to Murkowski, Pebble permitting is in wrong hands. Anchorage Daily News. 2 July 2007.
- Richardson, J. 2011. Pebble CEO said mine's energy need could make gas line, dam viable. Fairbanks Daily News Miner. Available: [http://newsminer.com/view/full\\_story/11022227/article-Pebble-CEO-said-mine-s#ixzz1BQArjxdq](http://newsminer.com/view/full_story/11022227/article-Pebble-CEO-said-mine-s#ixzz1BQArjxdq). (February 2011).
- Richter, A., and S. Kolmes. 2005. Maximum temperature: upper optimal temperature limits for salmonids in the Willamette and lower Columbia Rivers. *Reviews in Fisheries Science* 13(1):23–49.
- Rico, M., G. Benito, A. Salgueiro, A. and A. Diez-Herrero. 2008. Reported tailing dam failures: A review of the European incidents in the worldwide context. *Journal of Hazardous Materials*. 152 (2): 846-852.
- Rieman, B., D. Isaak, S. Adams, D. Horan, D. Nagel, C. Luce, and D. Myers. 2007. Anticipated climate warming effects on bull trout habitats and populations across the interior Columbia River basin. *Transactions of the American Fisheries Society* 136(6):1552–1565.
- Rio Tinto. 2007. Bingham Canyon Mine visitors center. Rio Tinto. Available: <http://www.kennecott.com/visitors-center>. (May 2007).
- Rio Tinto. 2009. 2009 annual report—strategy, delivery, growth. Rio Tinto. Available: [http://www.riotinto.com/documents/Investors/Rio\\_Tinto\\_annual\\_report\\_2009.pdf](http://www.riotinto.com/documents/Investors/Rio_Tinto_annual_report_2009.pdf). (August 2010).
- Ripley, E., R. Redmann, and A. Crowder. 1996. Environmental effects of mining. St. Lucie Press, Delray Beach, FL.
- Robertson v. Methow Valley Citizens Council, 490 U.S. 332, 350 (1989).
- Robertson, D. 2003. All that glitters: gold mining leaves a toxic trail. *The Environmental Magazine* 14(5).
- Robertson, J., and K. Ferguson. 1995. Predicting acid rock drainage. *Mining Environmental Management* 3(4):4–8.
- Roch, M., R. Nordin, A. Austin, C. McKean, J. Deniseger, R. Kathman, J. McCarther, and M. Clark. 1985. The effects of heavy metal contamination on the aquatic biota of Buttle Lake and the Campbell River drainage (Canada). *Archives of Environmental Contamination and Toxicology* 14(3):347–362.
- Rondorf, D., G. Gray, and R. Fairley. 1990. Feeding ecology of subyearling Chinook salmon in riverine and reservoir habitats of the Columbia River. *Transactions of the American Fisheries Society* 119(1):16–24.
- Rosenberg, D., and A. Wiens. 1978. Effects of sediment addition on macrobenthic invertebrates in a northern Canadian river. *Water Research* 12(10):753–763.
- Rosseland, B. 1986. Ecological effects of acidification on tertiary consumers: fish population responses. *Water, Air, and Soil Pollution* 30(1–2):451–460.
- Rosenfeld, J. 2005. Development of sustainability indicators for turbidity impacts on stream ecosystems: annual technical report. Forest Science Program, Forest Investment Account, British Columbia Ministry of Water, Land, and Air Protection, FIA Number YO51112, Victoria, B. C.
- Rothe, A. 2006. A review of industrial hard rock mining in Alaska. Report of Halcyon Research to Alaskans for Responsible Mining, Anchorage, AK. Available: <http://northern.org/programs/clean-water-mines/alaska-mineral-resource-development-information/a-review-of-industrial-hard-rock-mining-in-alaska>. (January 2011).
- Rouse, W., M. Douglas, R. Hecky, A. Hershey, G. Kling, L. Lesack, P. Marsh, M. McDonald, B. Nicholson, N. Roulet, and J. Smol. 1998. Effects of climate change on the freshwaters of arctic and subarctic North America. *Hydrological Processes* 11(8):873–902.
- Ruediger, R., and W. Ruediger. 1999. The effects of highways on trout and salmon rivers and streams in the western U. S. In *Proceedings from the Third International Conference on Wildlife Ecology and Transportation (ICOWET III)*, September 13-16, Missoula, MT. Florida Department of Transportation, FL-ER-73-99, Tallahassee, FL.
- Russell, R. 1977. Rainbow trout life history studies in lower Talarik Creek—Kvichak drainage. Division of Sport Fish, ADFG, King Salmon, AK.
- Russell, R. 1980. A fisheries inventory of waters in the Lake Clark National Monument area. Division of Sport Fish, Alaska Department of Fish and Game, King Salmon, AK.
- SAIC (Science Applications International Corporation). 2001. Final reclamation bond review: Grouse Creek Mine project, Salmon Challis National Forest, Idaho. Report of SAIC to U.S. Department of Agriculture Forest Service, Challis National Forest, ID.
- Saiki, M., D. Castleberry, T. May, B. Martin, and F. Bullard. 2004. Copper, cadmium, and zinc concentrations in aquatic food chains from the upper Sacramento River (California) and selected tributaries. *Environmental Contamination and Toxicology* 29(4):484–491.

- Salomone, P., S. Morstad, T. Sands, C. Westing, T. Baker, F. West, and C. Brazil. 2007. 2006 Bristol Bay area annual management report. Division of Commercial Fisheries, Alaska Department of Fish and Game, Fishery Management Report No. 07-22, Anchorage, AK.
- Sandahl, J., D. Baldwin, J. Jenkins, and N. Scholz. 2007. A sensory system at the interface between urban storm water runoff and salmon survival. *Environmental Science and Technology* 41(8):2998–3004.
- Sandahl, J., G. Miyasaka, N. Koide, and H. Ueda. 2006. Olfactory inhibition and recovery in chum salmon (*Oncorhynchus keta*) following copper exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 63(8):1840–1847.
- Sands, T., C. Westing, P. Salomone, S. Morstad, T. Baker, F. West, and C. Brazil. 2008. 2007 Bristol Bay area annual management report. Divisions of Sport Fish and Commerce Fisheries, Alaska Department of Fish and Game, Fishery Management Report No. 08-28, Anchorage, AK: Alaska. Available: <http://www.sf.adfg.state.ak.us/FedAidpdfs/fmr08-28.pdf>. (September 2010)
- Saucier, D., L. Astic, and P. Rioux. 1991. The effects of early chronic exposure to sublethal copper on the olfactory discrimination of rainbow trout, *Oncorhynchus mykiss*. *Environmental Biology of Fishes* 30(3):345–351.
- Saunders, R., and Sprague, J. 1967. Effects of copper-zinc mining pollution on a spawning migration of Atlantic salmon. *Water Research* 1(6):219–232.
- Sauter, S., J. McMillan, and J. Dunham. 2001. Issue paper 1: salmonid behavior and water temperature. Guidance Development Project, Temperature Water Quality Criteria, Region 10, USEPA, EPA-910-D-001, Seattle, WA.
- Sautner, S. 1996. Thermal preference of spring and fall Chinook salmon during smoltification. M. S. Thesis, Department of Biology, Portland State University, Portland, OR.
- Sayer, M., J. Reader, and R. Morris. 1991. Embryonic and larval development of brown trout, *Salmo trutta L.*: exposure to trace metal mixtures in soft water. *Journal of Fish Biology* 38(5):773–778.
- Schindler, D.W. 1988. The effects of acid rain on freshwater ecosystems. *Science* 239(4836):149-157.
- Schindler, D., M. Scheuerell, J. Moore, S. Gende, T. Francis, and W. Palen. 2003. Pacific salmon and the ecology of coastal ecosystems. *Frontiers in Ecology and the Environment* 1(1):31–37.
- Schindler, D. 1988. The effects of acid rain on freshwater ecosystems. *Science* 239(4836):149-157.
- Schindler, D., and R. Hilborn. 2008. When considering the Pebble Mine look at the Fraser River. *Anchorage Daily News*. Jan. 9, 2008.
- Schindler, D., R. Hilborn, B. Chasco, C. Boatright, T. Quinn, L. Rogers, and M. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465(7298):609–612.
- Schindler, D., M. Scheuerell, J. Moore, S. Gende, T. Francis, and W. Palen. 2003. Pacific salmon and the ecology of coastal ecosystems. *Frontiers in Ecology and the Environment* 1(1):31–37.
- Schrader, C. 2001. Geochronology and geology of the Pebble Cu-Au-Mo porphyry and the sill Au-Ag epithermal deposits, southwest Alaska. M. S. Thesis, Department of Geology, University of Georgia, Athens, GA.
- Schreck, C., and H. Lorz. 1978. Stress response of coho salmon (*Oncorhynchus kisutch*) elicited by cadmium and copper and potential use of cortisol as an indicator of stress. *Journal of the Fisheries Research Board of Canada* 35:1124–1129.
- Schwanke, C. 2002. Abundance and movement of the rainbow trout spawning stock in the upper Naknek River, Alaska. M. S. Thesis, Department of Zoology and Physiology, University of Wyoming, Laramie, WY.
- Schwanke, C., and D. Evans. 2005. Stock assessment of rainbow trout in the Tazimina River. Divisions of Sport Fish and Commercial Fisheries, ADFG, Fishery Data Series No. 05-73, Anchorage, AK.
- Scullion, J., and R. Edwards. 1980. The effects of pollutants from the coal industry on the fish and fauna of a small river in the South Wales coalfield. *Environmental Pollution—Series A: Ecological and Biological* 21(2):141–153.
- SEACC (Southeast Alaska Conservation Council). 2007. Help wanted: jobs and a healthy environment in southeast Alaska. SEACC. Available: <http://seacc.org/seacc-resources/reports-and-publications-index-1/help-wanted-jobs-and-a-healthy-environment-in-southeast-alaska>. (August 2010).
- Septoff, A. 2006. Predicting water quality problems at hardrock mines: a failure of science, oversight, and good practice. Earthworks, Washington, D. C.
- Servizi, J., and D. Martens. 1987. Some effects of suspended Fraser River sediments on sockeye salmon (*Oncorhynchus nerka*). Pages 254–264 in H. Smith, L. Margolis, C. Wood, editors. *Proceedings of the international sockeye salmon symposium*, Nanaimo, B. C., November 19-22, 1985: sockeye salmon (*Oncorhynchus nerka*) population biology and future management. Eds. DFO, Special Publication on Fisheries and Aquatic Sciences, 96, Ottawa, ON.

- Servizi, J., and D. Martens. 1992. Sublethal responses of coho salmon (*Oncorhynchus kisutch*) to suspended sediment. *Canadian Journal of Fisheries and Aquatic Sciences* 49(7):1389–1395.
- Servizi, J., and J. Jensen. 1977. Resistance of adult sockeye salmon to acute thermal shock, IPSFC (International Pacific Salmon Fisheries Commission) progress report no. 34. IPSFC, New Westminster, B. C.
- Sever, M. 2003. Settlement reached on coal slurry spill. American Geological Institute. Available: <http://www.agiweb.org/geotimes/oct03/WebExtra101703.html>. (May 2011).
- Shaffer, M. 2002. Company penalized for Arizona sludge spills. *Arizona Republic* (August 8):B9.
- Sigler, J., T. Bjornn, and F. Everest. 1984. Effects of chronic turbidity on density and growth of steelheads and coho salmon. *Transactions of the American Fisheries Society* 113(2):142–150.
- Singer, P., and W. Stumm. 1970. Acid mine drainage: the rate-determining step. *Science* 167:1121–1123.
- SitNews. 2011. No special session to save Alaska's coastal zone management program. SitNews. Available: [http://www.sitnews.us/0511News/053111/053111\\_special\\_session.html](http://www.sitnews.us/0511News/053111/053111_special_session.html). (June 2011).
- Smith, H., L. Margolis, and C. Wood, Editors. 1987. Proceedings of the international sockeye salmon symposium, Nanaimo, B. C., Nov 19-22, 1985: sockeye salmon (*Oncorhynchus nerka*) population biology and future management. DFO, Canadian Special Publication of Fisheries and Aquatic Sciences, No. 96, Ottawa, ON.
- Smythe, R., and C. Isber. 2002. NEPA in the agencies—2002. The Natural Resources Council of America, Washington, D.C.
- Smythe, R. and C. Isber. 2003. NEPA in the agencies: a critique of current practices. *Environmental Practice* 5(4):290–297.
- Sophocleous, M. 2002. Interactions between groundwater and surface water: the state of the science. *Hydrogeology Journal* 10(1):52–67.
- Sorensen, E. 1991. Metal poisoning in fish. CRC Press, Inc., Boca Raton, FL.
- Sorenson, D., M. McCarthy, E. Middlebrook, and D. Porcella. 1977. Suspended and dissolved solids effects on freshwater biota: a review. Office of Research and Development, USEPA, EPA-600/3-77-042, Corvallis, OR.
- Soulsby, C., A. Youngson, H. Moir, and I. Malcolm. 2001. Fine sediment influence on salmonid habitat in a lowland agricultural stream: a preliminary assessment. *The Science of the Total Environment* 265(1–3):295–307.
- Soulsby, C., I. Malcolm, and A. Youngson. 2001. Hydrochemistry of the hyporheic zone in salmon spawning gravels: a preliminary assessment in a degraded agricultural stream. *Regulated Rivers: Research & Management* 17(6):651–665.
- Spence, B., G. Lomnicky, R. Hughes, and R. Novitzki. 1996. An ecosystem approach to salmonid conservation. National Marine Fisheries Service, TR-4501-96-6057, Portland, OR.
- Stanford, J., M. Lorang, and F. Hauer. 2005. The shifting habitat mosaic of river ecosystems. *Verhandlungen Internationale Vereinigung für Theoretische und Angewandte Limnologie* 29(1):123–136.
- Stasiunaite, P. 2005. Toxicity of copper to embryonic development of rainbow trout (*Oncorhynchus mykiss*). *Acta Zoologica Lituanica* 15(3):259–265.
- Staurnes, M., F. Kroglund, and B. Rosseland. 1995. Water quality requirement of Atlantic salmon (*Salmo salar*) in water undergoing acidification or liming in Norway. *Water, Air, & Soil Pollution* 85(2):347–352.
- Stearns, S. 1992. The evolution of life histories. Oxford University Press, Oxford, UK.
- Steffan, R., E. Korthals, and M. Winfrey. 1998. Effects of acidification on mercury methylation, demethylation, and volatilization in sediments from an acid-susceptible lake. *Applied and Environmental Microbiology* 54(8):2003–2009.
- Steffen, Robertsen, and Kristen Inc. 2000. Review of geochemical issues, True North Project, Fort Knox Mine. Report of Steffen, Robertsen, and Kristen Inc. to ADEC, Juneau, AK.
- Stickel, D. 2007. Alaska Department of Revenue. Alaska's non-oil tax revenue. Alaska Department of Labor and Workforce Development. Available: <http://www.labor.state.ak.us/research/trends/sep07econ.pdf>. (August 2010).
- Stober, Q., B. Ross, C. Melby, P. Dinnel, T. Jagielo, E. Salo. 1981. Effects of suspended volcanic sediment on coho and Chinook salmon in the Toutle and Cowlitz Rivers. Technical completion report FRI-UW-8124. Fisheries Research Institute, University of Washington, Seattle, WA.
- Stockner, J., editor. 2003. Nutrients in salmonid ecosystems; sustaining production and biodiversity. American Fisheries Society, Bethesda, MD.
- Stoddard, J., D. Peck, S. Paulsen, J. Van Sickle, C. Hawkins, A. Herlihy, R. Hughes, P. Kaufmann, D. Larsen, G. Lomnicky, A. Olsen, S. Peterson, P. Ringold, and T. Whittier. 2005. An ecological assessment of western streams and rivers. U.S. Environmental Protection Agency, EPA 620/R-05/005, Washington, D.C.

- Stouder, D., P. Bisson, and R. Naiman, editors. 1997. Pacific salmon and their ecosystems: status and future options. Chapman & Hall, New York, NY.
- Stratton, B., and B. Cross. 1990. Abundance, age, sex, and size statistics for Pacific salmon in Bristol Bay. Division of Commercial Fisheries, Alaska Department of Fish and Game, Technical Fishery Report 90-06, Juneau, AK.
- Strycker's Bay Neighborhood Council, Inc. v. Karlen, 444 U.S. 223, 227-228 (1980).
- Suchanek, P., R. Marshal, S. Hale, and D. Schmidt. 1984. Juvenile salmon rearing criteria. Pages 1–49 in D. Schmidt, S. Hale, D. Crawford, and P. Suchanek, editors. Resident and juvenile anadromous fish investigations (May-October 1983). ADFG, Susitna Hydro Aquatic Studies Report No. 2, Anchorage, AK.
- Sutterlin, A., N. Sutterlin, and S. Rand. 1971. The influence of synthetic surfactants on the functional properties of the olfactory epithelium of Atlantic salmon. Fisheries Research Board of Canada, Fisheries Research Board of Canada Technical Report 287, St. Andrews, N. B.
- Suttle, K., M. Power, J. Levine, and C. McNeely. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications* 14(4):969–974.
- Sweka, J., and K. Hartman. 2001. Influences of turbidity on brook trout reactive distance and foraging success. *Transactions of the American Fisheries Society* 130(1):138–146.
- Tabak, L., and K. Gibbs. 1991. Effects of aluminum, calcium, and low pH on egg hatching and nymphal survival of cloeon triangulifer McDunnough (*Ephemeroptera: Baetidae*). *Hydrobiologia* 218(2):157–166.
- Taylor, E. 1988. Water temperature and velocity as determinants of microhabitats of juvenile Chinook and coho salmon in a laboratory stream channel. *Transactions of the American Fisheries Society* 117(1):22–28.
- Teck Cominco Alaska Inc. 2004. In RE Teck Cominco Alaska Inc., Red Dog Mine, NPDES Appeal No. 03-09: order denying review in part and remanding in part. U.S. Environmental Protection Agency. Available: <http://www.epa.gov/eab/disk11/teckcominco.pdf>. (September 2010).
- Teck Cominco Alaska Inc., Editor. 2005. Summary of mine related fugitive dust studies, Red Dog Mine site. Teck Cominco Alaska Incorporated, Anchorage, AK.
- Teck Cominco Alaska Inc. 2008. Fugitive dust risk management plan: Red Dog operations, Alaska. Report of Exponent to Teck Cominco Alaska Inc., Anchorage, AK. Available: <http://dnr.alaska.gov/mlw/mining/largemine/reddog/publicnotice/pdf/msd8.pdf>. (September 2010).
- Teck Resources Alaska Ltd. 2010. The facts on water quality. Red Dog Mine. Available: <http://www.reddogalaska.com/Generic.aspx?PAGE=Red+Dog+Site%2fEnvironmental+Pages%2fWater+Quality&portalName=tc>. (September 2010).
- Tetra Tech. 2009. Final supplemental environmental impact statement: Red Dog Mine extension, Aqqaluk Project. Report of Tetra Tech to U.S. Environmental Protection Agency, Region 10, Seattle, WA.
- Thomas, W., J. Hollibaugh, D. Seibert, and G. Wallace Jr. 1980. Toxicity of a mixture of ten metals to phytoplankton. *Marine Ecology Progress Series* 2:213–220.
- Thornton, T., and P. Wheeler. 2005. Subsistence research in Alaska: a thirty year perspective. *Alaska Journal of Anthropology* 3(1): 69–103. Available: <http://www.eci.ox.ac.uk/publications/downloads/thornton05-alaska.pdf>. (August 2010).
- Throop, A. 1994. Silver Butte Mine acid rock drainage: formation and future. Oregon Department of Geology and Mineral Industries, Salem, OR.
- Throop, A. 1995. Reclamation of Formosa exploration's Silver Butte Mine as of December 1994. Oregon Department of Geology and Mineral Industries, Salem, OR.
- Tierney, K., D. Baldwin, T. Hara, P. Ross, N. Scholz, and C. Kennedy. 2010. Copper toxicity in fishes. *Aquatic Toxicology* 96: 2-26
- Timing of Agency Action. 40 C.F.R. § 1506.10 (1979).
- Todd, J., and D. Struhsacker. 1997. Environmentally responsible mining: results and thoughts regarding a survey of North American metallic mineral mines. Society for Mining, Metallurgy, and Exploration Preprint 97-304, Littleton, Colorado.
- Torgensen, C., D. Price, H. Li, and B. McIntosh. 1999. Multiscale thermal refugia and stream habitat associations of Chinook salmon in northeastern Oregon. *Ecological Applications* 9(1):301–319.
- TNC (The Nature Conservancy). 2011. Kaskanak Creek: instream flow report. TNC. Available: [http://www.nature.org/ourinitiatives/regions/northamerica/unitedstates/alaska/instreamflowreport\\_kaskanak.pdf](http://www.nature.org/ourinitiatives/regions/northamerica/unitedstates/alaska/instreamflowreport_kaskanak.pdf). (July 2011).
- Trasky, L. 2008. The potential effects of large scale copper sulfide mining on salmonids and their habitat. Wild Salmon Center, Portland, OR.

- TU (Trout Unlimited). 2010. Trout Unlimited takes legal action to protect salmon in Bristol Bay. TU. Available: <http://www.tu.org/alaska/coldwater-chronicles/winter-2010/trout-unlimited-takes-legal-action>. (December 2010).
- TU. 2011. About the bay. TU. Available: <http://www.savebristolbay.org/about-the-bay>. (February 2011).
- USBLM (U. S. Bureau of Land Management). 1995. Zortman and Landusky Mines draft environmental impact statement. USBLM, Department of the Interior, Washington, D.C.
- USBLM. 2001. Alaska: water rights fact sheet. BLM. Available: <http://www.blm.gov/nstc/WaterLaws/alaska.html>. (November 2010).
- USBOC (U. S. Bureau of the Census). 2008. Alaska quick\_facts. USBOC. Available: <http://quickfacts.census.gov/qfd/states/02000.html>. (August 2010).
- USBOC. 2011. 2010 resident population. USBOC. Available: <http://www.census.gov/>. (January 2011)
- USDA FS (U.S. Department of Agriculture Forest Service). 1992. Record of decision and final supplemental environmental impact statement – volume 1, Grouse Creek project. USDA FS, Challis National Forest, ID.
- USDA FS and USEPA (U.S. Environmental Protection Agency). 2003. Removal action memorandum. USDA FS. Available: [http://www.fs.fed.us/r4/sc/yankeefork/pdf/fs\\_epa\\_removal\\_action\\_memoandum\\_0403.pdf](http://www.fs.fed.us/r4/sc/yankeefork/pdf/fs_epa_removal_action_memoandum_0403.pdf). (August 2010).
- USDL (U.S. Department of Labor). 2011a. Producer price indexes/commodity data (Metals and Metal Products): 1975–2011 Data. Bureau of Labor Statistics, USDL. Available: <http://data.bls.gov/cgi-bin/surveymost?wp>. (October 2011).
- USDL. 2011b. Consumer price index/all urban consumers/anchorage: 1975–2010 data. Bureau of Labor Statistics, USDL. Available: <http://data.bls.gov>. (October 2011).
- USDOI (U.S. Department of the Interior). 1995. Zortman and Landusky Mines draft environmental impact statement. Hard Rock Bureau, Bureau of Land Management, USDOI and the State of Montana Department of Environmental Quality, Washington, D.C.
- USDOI. 1996. Zortman and Landusky Mines final environmental impact statement. Bureau of Land Management, USDOI, Washington, D.C.
- USDOI. 1998. Consultation handbook: procedures for conducting consultation and conference activities under section 7 of the endangered species act. Fish and Wildlife Service, USDOI and National Marine Fisheries Service, Department of Commerce, Washington, D. C.
- USEPA (U.S. Environmental Protection Agency). 1984. Final environmental impact statement: Red Dog Mine project, northwest Alaska. Region 10, Office of Water, USEPA, EPA 910/9-84-122a, Seattle, WA.
- USEPA. 1985. Ambient water quality criteria for ammonia—1984. Regulations and Standards, Criteria and Standards Division, Office of Water, USEPA, Washington, D.C.
- USEPA. 1991. Administrative complaint, docket no. 1090-02-16-309(g). Region 10, USEPA, Washington, D.C.
- USEPA. 1994a. Technical document: acid mine drainage prediction. Special Waste Branch, Office of Solid Waste, USEPA, EPA530-R-94-036, Washington, D.C.
- USEPA. 1994b. National priorities list, HRS documentation record, Kennecott (south zone), NPL-016-2-20-R8, and Kennecott (north zone), NPL-016-2-19-R8.
- USEPA. 1994c. Acid mine drainage prediction. Office of Solid Waste, USEPA, EPA 530-R-94-036, Washington, D.C.
- USEPA. 1994d. Extraction and Beneficiation of Ores and Minerals Vol. 2: Gold. Office of Solid Waste, USEPA, EPA 530-R-94-013, Washington, D.C.
- USEPA. 1997. Damage cases and environmental releases from mines and mineral processing sites. Office of Solid Waste, USEPA, EPA A530-R-99-023, Washington D. C.
- USEPA. 1999a. EPA superfund record of decision: Kennecott South zone site. USEPA, EPA-ROD-R08-99-034, Denver, CO.
- USEPA. 1999b. Protocol for developing sediment TMDLs, first edition. Office of Water, USEPA, EPA 841-B-99-004, Washington, D.C.
- USEPA. 2000a. Guidelines for preparing economic analyses. National Center for Environmental Economics, USEPA, EPA 240-R-00-003, Washington, D.C.
- USEPA. 2000b. The quality of our nation's waters, a summary of the national water quality inventory: 1998 report to congress. Office of Water, USEPA, EPA 841-S-00-001, Washington, D.C.
- USEPA. 2002. National water quality inventory: report to congress, 2002 reporting cycle. Office of Water, USEPA, EPA 842-R-07-001, Washington, D. C. Available: <http://www.epa.gov/305b/2002report>. (Sept. 2010).

- USEPA. 2003. Final environmental impact statement Pogo gold mine project, Delta, Alaska. National Pollutant Discharge Elimination System, Office of Water, USEPA, Permit Application No. AK-005334-1, Seattle, WA.
- USEPA. 2004. Nationwide identification of hardrock mining sites. Evaluation report. Office of Inspector General, USEPA, Report 2004-P-00005, Washington, DC.
- USEPA . 2005a. Record of decision: Brewer Gold Mine. USEPA, EPA/ROD/R2005040001494, Jefferson, SC.
- USEPA. 2005b. What is sediment pollution? Nonpoint Source Outreach Toolbox, USEPA. Available: [http://www.epa.gov/nps/toolbox/other/KSMO\\_Sediment.pdf](http://www.epa.gov/nps/toolbox/other/KSMO_Sediment.pdf). (Sept. 2010).
- USEPA. 2006. National recommended water quality criteria. Office of Water and the Office of Science and Technology, USEPA, Washington, D.C.
- USEPA. 2007a. Fact sheet: Formosa Mine, Douglas County, Oregon. USEPA, Seattle, Washington. Available: <http://yosemite.epa.gov/r10/cleanup.nsf/d67b5aa82151d9ae88256da6005fb54e!OpenView>. (August 2010).
- USEPA. 2007b. Aquatic life ambient freshwater quality criteria: copper. USEPA, EPA-822-R-07-001. Washington, D.C.
- USEPA. 2007c. Overview of EPA authorities for natural resource managers developing aquatic invasive species rapid response and management plans: CWA section 402—the national pollutant discharge elimination system (NPDES). USEPA. Available: [http://www.epa.gov/owow/invasive\\_species/invasives\\_management/cwa402.html#what](http://www.epa.gov/owow/invasive_species/invasives_management/cwa402.html#what). (Feb. 2010).
- USEPA. 2008. Letter to Randy Bates, Director, Division of Coastal and Ocean Management, Alaska Department of Natural Resources (ADNR), August 15, 2008. Division of Coastal and Ocean Management, ADNR. Available: [http://alaskacoast.state.ak.us/Enews/Re-eval2008/Official\\_Submitted\\_Comments/EPA\\_submitted\\_comments.pdf](http://alaskacoast.state.ak.us/Enews/Re-eval2008/Official_Submitted_Comments/EPA_submitted_comments.pdf). (July 2011).
- USEPA. 2008b. Ecological toxicity information: toxicity profiles. Region 5 Superfund, USEPA, Available: <http://www.epa.gov/R5Super/ecology/html/toxprofiles.htm>. (August 2010).
- USEPA. 2008c. What are suspended and bedded sediments (SABS)? USEPA and WARSSS (Watershed Assessment of River Stability and Sediment Supply). Available: <http://www.epa.gov/warsss/seds/source/sabs.htm>. (Sept. 2010).
- USEPA. 2009a. Final data summary report: Formosa Mine superfund site, Douglas County, Oregon. Report of CDM Federal Programs Corporation to the USEPA, Region 10, Seattle, WA.
- USEPA. 2009b. Chronology of 404(c) Actions. Wetlands Division, USEPA, Washington, D.C. Available: <http://www.epa.gov/owow/wetlands/regs/404c.html>. (August 2010).
- USEPA. 2009c. Clean Water Act §404(c) EPA Veto Authority. Available: <http://www.epa.gov/owow/wetlands/pdf/404c.pdf>. (August 2010).
- USEPA 2009d. Supplemental environmental impact statement: Red Dog Mine extension, Aqqaluk project. Prepared by Tetra Tech for USEPA, Region 10, Seattle, WA. Available: <http://www.reddogseis.com> (September 2010).
- USEPA. 2009e. Mining waste. USEPA. Available: <http://www.epa.gov/osw/nonhaz/industrial/special/mining>. (August 2010)
- USEPA. 2009f. Reduce and reuse. USEPA. Available: <http://www.epa.gov/osw/conserves/rrr/reduce.htm>. (November 2010).
- USEPA. 2009g. Spill prevention, control, and countermeasure (SPCC) rule. USEPA. Available: <http://www.epa.gov/OEM/content/spcc/index.htm>. (November 2009).
- USEPA. 2009h. Fact sheet: final third drinking water contaminant candidate list (CCL 3). USEPA. Available: [http://www.epa.gov/ogwdw000/ccl/pdfs/ccl3\\_docs/fs\\_cc3\\_final.pdf](http://www.epa.gov/ogwdw000/ccl/pdfs/ccl3_docs/fs_cc3_final.pdf). (October 2010).
- USEPA. 2010. Formosa Mine: Douglas County, Oregon. USEPA. Available: <http://yosemite.epa.gov/R10/CLEANUP.NSF/sites/formosa>. (Jan. 2010).
- USEPA. 2011a. Brewer Gold Mine, Jefferson, South Carolina. National Priorities List, USEPA. Available: <http://www.epa.gov/superfund/sites/npl/nar1725.htm>. (June 2011).
- USEPA. 2011b. Clark Fork River operable unit. Superfund Program, USEPA. Available: <http://www.epa.gov/region8/superfund/mt/milltowncfr/cfr/>. (July 2011).
- USEPA. 2011c. EPA plans scientific assessment of Bristol Bay watershed. USEPA. Available: <http://yosemite.epa.gov/opa/admpress.nsf/0/8c1e5dd5d170ad99852578300067d3b3>. (July 2011).
- USEPA. 2011d. Overview of EPA authorities for natural resource managers developing aquatic invasive species rapid response and management plans: CWA section 404—permits to discharge dredged or fill material. USEPA. Available: <http://water.epa.gov/type/oceb/habitat/cwa404.cfm>. (June 2011).
- USFWS (U.S. Fish & Wildlife Service) and NMFS (National Marine Fisheries Service).1998. Endangered species act consultation handbook. USFWS. Available: <http://www.fws.gov/endangered/esa-library/pdf/TOC-GLOS.PDF>. (August 2010).



- USFWS. 2010a. Species profile: short-tailed albatross (*Phoebastria albatrus*). USFWS. Available: <http://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B00Y>. (August 2010).
- USFWS. 2010b. Species profile: Steller's eider (*Polysticta stelleri*). Available: <http://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B090>. (August 2010).
- USGS (US Geological Survey). 1990. Chemical, geologic, and hydrogeologic data from the study of acid contamination in the Miami Wash-Pinal Creek area, Arizona, J. Brown (author): U.S. Geological Survey Open-File Report 90-395.
- USGS. 2008a. Effects of ground-water development on ground-water flow to and from surface-water bodies. Available: <http://pubs.usgs.gov/circ1186/html/gw-effects.html>. (July 2008).
- USGS. 2008b. Ground water flow and effects of pumping. Available: <http://ga.water.usgs.gov/edu/earthgwdecline.html>. (November 2011)
- USGS. 2009a. Earthquake density maps for the United States. Earthquakes Hazards Program, USGS. Available: [http://earthquake.usgs.gov/earthquakes/states/us\\_density.php](http://earthquake.usgs.gov/earthquakes/states/us_density.php). (August 2010).
- USGS. 2009b. Historic United States earthquakes. Earthquakes Hazards Program, USGS. Available: [http://earthquake.usgs.gov/earthquakes/states/historical\\_state.php](http://earthquake.usgs.gov/earthquakes/states/historical_state.php). (August 2010).
- USGS. 2009c. Magnitude 7 and greater earthquakes in the United States. Earthquakes Hazards Program, USGS. Available: [http://earthquake.usgs.gov/earthquakes/states/large\\_usa\\_7.php](http://earthquake.usgs.gov/earthquakes/states/large_usa_7.php). (August 2010).
- USGS. 2009d. 2009 PSHA interactive deagregation. USGS. Available: <http://earthquake.usgs.gov/earthquakes/states/seismicity/index.php>. (December 2010).
- USGS. 2011a. Copper mineral commodity surveys: 1999-2010. USGS. Available: <http://minerals.usgs.gov/minerals/pubs/commodity/copper/mcs-2011-coppe.pdf>. (October 2011).
- USGS. 2011b. Gold mineral commodity surveys: 1996-2010. USGS. Available: <http://minerals.usgs.gov/minerals/pubs/commodity/gold/mcs-2011-gold.pdf>. (October 2011).
- USGS. 2011c. Molybdenum mineral commodity surveys: 1996-2010. USGS. Available: <http://minerals.usgs.gov/minerals/pubs/commodity/molybdenum/mcs-2011-molyb.pdf>. (October 2011).
- USJD (U.S. Justice Department). 2001. Notice of lodging of consent decree under the Clean Water Act, U.S. Justice Department, Federal Register. Available: <http://www.federalregister.gov/articles/2001/05/22/01-12854/notice-of-lodging-of-consent-decree-under-the-clean-water-act>. (November 2011).
- USNPS (U.S. National Park Service). 2006. Resource management news: summer 2006 projects. Katmai National Park and Preserve, USNPS, King Salmon, AK.
- USSD (U.S. Society on Dams). 1994. Tailings dam incidents. USSD, Denver, CO.
- Vick, S. 2001. Stability aspects of long-term closure for sulfide tailings. Pages 68–79 in the Swedish Mining Association, Naturvardsverket, and the European Commission, editors. Seminar on safe tailings dam constructions, Gallivare, Sweden, 20-21 September 2001, technical papers. The European Commission, Brussels, BE. Available: [http://ec.europa.eu/environment/waste/mining/pdf/mining\\_dams\\_seminar.pdf](http://ec.europa.eu/environment/waste/mining/pdf/mining_dams_seminar.pdf). (Sept. 2010)
- Viereck, L., C. Dryness, A. Batten, and K. Wenzlick. 1992. The Alaska vegetation classification. Pacific Northwest Research Station, U.S. Department of Agriculture Forest Service, General Technical Report PNW-GTR-286, Portland, OR.
- Vinson and Elkins LLP. 2009. Recent regulatory actions perpetuate uncertainty concerning section 404 permits for mining activities. Vinson and Elkins LLP. Available: <http://www.velaw.com/resources/RecentRegulatoryActionsPerpetuateUncertaintyConcerning404PermitsMiningActivities.aspx>. (Sept. 2010).
- Wagner, S., and J. LaPerriere. 1985. Effects of placer mining on the invertebrate communities of interior Alaska streams. *Freshwater Invertebrate Biology* 4(4):208–214.
- Wahrhaftig, C. 1965. Physiographic divisions of Alaska. U.S. Geological Survey, Professional Paper 482, Reston, VA.
- Waiwood, K., and F. Beamish. 1978. The effect of copper, hardness, and pH on the growth of rainbow trout, *Salmo gairdneri*. *Journal of Fish Biology* 13(5):591–598.
- Walsh, G. 1978. Toxic effects of pollutants on plankton. Pages 257–274 in G. Butler, editor. *Principles of Ecotoxicology*. New York, NY.
- Waples, R., G. Pess, and T. Beechie. 2008. Evolutionary history of Pacific salmon in dynamic environments. *Evolutionary Applications* 1(2):189–206.

- Ward, J., F. Malard, J. Stanford, and T. Gonser. 2000. Interstitial aquatic fauna of shallow unconsolidated, sediments, particularly hyporheic biotopes. Pages 41-58 in H. Wilkens, D. Culver, and W. Humphreys, editors. Subterranean ecosystems. Vol. 30, Ecosystems of the world. Elsevier Science, Amsterdam, NL.
- Waters, T. 1995. Sediment in streams: sources, biological effects and control. American Fisheries Society, Bethesda, MD.
- Watras, C., R. Back, S. Halvorsen, R. Hudson, K. Morrison, and S. Wentz. 1998. Bioaccumulation of mercury in pelagic freshwater food webs. *Science of Total Environment* 219(2-3):183-208.
- Watt, W., C. Scott, P. Zamora, and W. White. 2000. Acid toxicity levels in Nova Scotian rivers have not declined in synchrony with the decline in sulfate levels. *Water, Air, and Soil Pollution* 118(3-4):203-229.
- Weaver, T., and J. Fraley. 1993. A method to measure emergence success of west slope cutthroat trout fry from varying substrate compositions in a natural stream channel. *North American Journal of Fisheries Management* 13(4):817-822.
- Webb, M., H. Ruber, and G. Leduc G. 1976. The toxicity of various mining flotation reagents to rainbow trout (*Salmo gairdneri*). *Water Research* 10(4):303-306.
- Weiner, G., C. Schreck, and H. Li. 1986. Effects of low pH on reproduction of rainbow trout. *Transactions of the American Fisheries Society* 115(1):75-82.
- Weitzman, M. 2001. Gamma discounting. *American Economic Review* 91(1): 260-271.
- Welch, L. 2007. New study quantifies importance of salmon to Bristol Bay. Seafood.com, Inc. Available: <http://www.seafood.com/Default.aspx?tabid=37>. (June 2007).
- Welsh, P., J. Lipton, G. Chapman, and T. Podrabsky. 2000. Relative importance of calcium and magnesium in hardness based modifications of copper toxicity. *Environmental Toxicology and Chemistry* 19(6):1624-1631.
- White Tanks Concerned Citizens, Inc. v. Strock, 563 F.3d 1033, 1039 (9th Cir. 2009).
- White, W., W. Watt, and C. Scott. 1984. An experiment on the feasibility of rehabilitating acidified Atlantic salmon habitat in Nova Scotia by the addition of lime. *Fisheries* 9(1):25-30.
- Whitman, R., T. Quinn, and E. Brannon. 1982. Influence of suspended volcanic ash on homing behavior of adult Chinook salmon. *Transactions of the American Fisheries Society* 111(1):63-69.
- Whittlesey, N., and R. Huffaker. 1995. Water policy issues for the twenty first century. *American Journal of Agricultural Economics* 77(5):1199-2003.
- WHO (World Health Organization). 2003. Molybdenum in drinking water: background document for development of WHO guidelines for drinking-water quality. WHO. Available: [http://www.who.int/water\\_sanitation\\_health/dwq/chemicals/molybdenum.pdf](http://www.who.int/water_sanitation_health/dwq/chemicals/molybdenum.pdf). (December 2010).
- Wieland, M. 2002. Earthquake safety of existing dams for irrigation and water supply in rural areas. *Geotechnical Engineering* 33(1):53-57.
- Wildlife and Fisheries. 50 C.F.R. § 402 (1998).
- Williams, I., U. Fagerlund, and E. Ordal. 1977. Investigation of prespawning mortality of 1973 Horsefly River sockeye salmon. IPSFC (International Pacific Salmon Fisheries Commission) Progress Report No. 34. IPSFC, New Westminster, B. C.
- Williams, J., W. Nehlsen, and J. Lichatowich. 1991. Pacific Salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16(2):4-21.
- Willson, M., and K. Halupka. 1995. Anadromous fish as keystone species in vertebrate communities. *Conservation Biology* 9(3):489-497.
- Wilson, R., and E. Taylor. 1992. Transbranchial ammonia gradients and acid-base responses to high external ammonia in rainbow trout (*Oncorhynchus mykiss*) acclimated to different salinities. *The Journal of Experimental Biology* 166(1):95-112.
- Wipfli, M., and C. Baxter. 2010. Linking ecosystems, food webs, and fish production: subsidies in salmonid watersheds. *Fisheries* 35(8): 373-387.
- Wipfli, M., J. Hudson, J. Caouette, and D. Chaloner. 2003. Marine subsidies in freshwater ecosystems: salmon carcasses increase the growth rates of stream-resident salmonids. *Transactions of the American Fisheries Society* 132(2):371-381.
- WISE (World Information Service on Energy). 2008. The Inez coal tailings dam failure (Kentucky, USA). WISE Uranium Project. Available: <http://www.wise-uranium.org/mdafin.html>. (June 2011).
- WISE. 2011. Chronology of major tailings dam failures. WISE Uranium Project. Available: <http://www.wise-uranium.org/mdaf.html>. (April 2011).

- Withrow D., and K. Yano. 2008. Freshwater harbor seals of Lake Iliamna, Alaska: updated counts and research coordination for 2010. National Marine Mammal Laboratory, Alaska Fisheries Science Center, National, National Oceanic and Atmospheric Administration and NMFS, Seattle WA. Available: [ftp://ftp.afsc.noaa.gov/posters/pWithrow03\\_freshwater-seals.pdf](ftp://ftp.afsc.noaa.gov/posters/pWithrow03_freshwater-seals.pdf). (August 2010).
- Wolfe, R. 2000. Subsistence food harvests in rural Alaska and food safety issues. Division of Subsistence, ADFG, Juneau, AK. Available: <http://www.subsistence.adfg.state.ak.us/download/food962.pdf>. (August 2010).
- Wolfe, R., and R. Walker. 1987. Subsistence economies in Alaska: productivity, geography, and development impacts. *Arctic Anthropology* 22(4):56–81. Available: <http://www.subsistence.adfg.state.ak.us/download/subecon.pdf>. (August 2010).
- Woodward-Clyde Consultants. 1994. Water quality and geochemistry studies, new tailings impoundment. Report of Woodward-Clyde Consultants to Southern Peru Copper Corp., Lima, Peru.
- Woody, C., K. Ramstad, D. Young, G. Sage, and F. Allendorf. 2003. Population assessment of Lake Clark sockeye salmon, Final Report for Study 01-042. Office of Subsistence Management, Fisheries Resource Monitoring Program, U.S. Fish and Wildlife Service, Anchorage, AK.
- Woody, C. 2004. Population monitoring of Lake Clark and Tazimina River sockeye salmon, Kvichak River watershed, Bristol Bay, discussion draft. Available: [http://fish4thefuture.com/whitefish\\_discussion.html](http://fish4thefuture.com/whitefish_discussion.html). (January 2012).
- Woody, C. 2007. Copper: effects on freshwater food chains and salmon: a review. Fisheries Research and Consulting. Available: [http://fish4thefuture.com/pdfs/Woody\\_Copper\\_Effects\\_to\\_Fish - FINAL2007.pdf](http://fish4thefuture.com/pdfs/Woody_Copper_Effects_to_Fish - FINAL2007.pdf). (August 2010).
- Woody, C. 2009. Fish surveys in the headwater streams of the Nushagak and Kvichak River drainages, Bristol Bay, Alaska, 2008, Final Report. Report of Fisheries Research and Consulting to The Nature Conservancy, Arlington, VA.
- Woody, C., R. Hughes, E. Wagner, T. Quinn, L. Roulson, L. Martin, and K. Griswold. 2010. The mining law of 1872: change is overdue. *Fisheries* 35(7):321–331.
- Woody, C., and S. O’Neal. 2010. Fish surveys in headwater streams of the Nushagak and Kvichak River drainages, Bristol Bay, Alaska, 2008–2010. Report of Fisheries Research and Consulting to The Nature Conservancy, Arlington, VA.
- Woody, C., and B. Higman. 2011. Groundwater as essential salmon habitat in Nushagak and Kvichak River headwaters: issues relative to mining. Report to Center for Science in Public Participation, Bozeman, MT.
- Woody, C., and D. Young. 2007. Life history and essential habitats of humpback whitefish in Lake Clark National Park, Kvichak River watershed, Alaska. Federal Office of Subsistence Management, USFWS, Annual Report F1S05-0403, Anchorage, AK.
- Worldometers. 2009. Cars produced in the world. [Worldometers.info](http://www.worldometers.info/cars/). Available: <http://www.worldometers.info/cars/>. (December 2010).
- Wright, J., J. Morris, and R. Schroeder. 1985. Bristol Bay regional subsistence profile. Division of Subsistence, ADFG, Technical Paper 114, Dillingham, AK. Available: <http://www.subsistence.adfg.state.ak.us/TechPap/tp114.pdf>. (August 2010).
- WRRC (Water Resources Research Center). 2001. Black Mesa spill nets \$128,000 fine. WRRC, Colleges of Agricultural and Life Sciences. University of Arizona. Available: <http://ag.arizona.edu/AZWATER/awr/mayjune01/news.html>. (May 2011).
- Wurts, W. 1993. Understanding water hardness. *World Aquaculture* 24(1):18.
- Young, D. 2004. The migration and spawning distribution of sockeye salmon within Lake Clark, Alaska. M. S. Thesis. School of Fisheries and Ocean Sciences, University of Alaska, Fairbanks, AK.
- Young, D. 2005. Distribution and characteristics of sockeye salmon spawning habitats in the Lake Clark watershed, Alaska. National Resource Program Center, Water Resources Division, USNPS, Technical Report NPS/NRWRD/NRTR-2005/338, Fort Collins, CO.
- Young, D., and C. Woody. 2006. Lake Clark sockeye salmon escapement and population monitoring. Federal Office of Subsistence Management, USFWS, Annual Report for Study FIS 05-402, Anchorage, AK.
- Young, D., and C. Woody. 2007. The spawning distribution of sockeye salmon in a glacially influenced watershed: the importance of glacial habitats. *Transactions of the American Fisheries Society*. 136:452–459.
- Yuen, H., D. Bill, M. Nelson, R. Russell, and J. Skrade. 1984. Bristol Bay Salmon (*Oncorhynchus sp.*) 1980—a compilation of catch, escapement, and biological data. Division of Commercial Fisheries, Alaska Department of Fish and Game, Anchorage, AK.
- Yuen, H., and M. Nelson. 1984. Bristol Bay chum salmon (*Oncorhynchus keta*) sex, age, weight, and length statistics, 1960 to 1977. Division of Commercial Fisheries, Alaska Department of Fish and Game, Technical Data Report 127, Juneau, AK.
- Zamzow, K. 2011a. Baseline surface water quality near the proposed Pebble Mine, Alaska, 2009-2010: Nushagak, Kvichak, and Chulitna drainage headwaters. Report for The Nature Conservancy, Arlington, VA.

- Zamzow, K. 2011b. Critique of Pebble Limited Partnership preliminary water quality data for the Pebble Prospect, Alaska. Center for Science in Public Partnership, Sutton, AK.
- Ziegler, A. 2003. Issues related to turbidity measurements as a surrogate for suspended sediment. In Proceedings of the Federal Interagency Workshop on Turbidity and Other Sediment Surrogates, April 30–May 2, 2002, Reno, NV. Extended Abstracts, Eds. J. Gray and G. Glysson. Geological Survey Circular 1250. Reston, VA: U. S. Department of the Interior, 2003.
- Zinn, H. 2003. A people's history of the United States. Harper Collins, New York, NY.
- Zirino, A., and S. Yamamoto. 1972. A pH-dependent model for the chemical speciation of copper, zinc, cadmium, and lead in seawater. *Limnology and Oceanography* 17(5):661–671.
- Zweig, L., and C. Rabeni. 2001. Biomonitoring for deposited sediment using benthic invertebrates: a test on four Missouri streams. *Journal of the North American Benthological Society* 20(4):643–657.